

SAFETY DATA SHEET

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

1.1 Product identifier

Product name ARTLINE SMOOVE BALLPOINT PEN EK-8210AU (BLACK, BLUE, RED) (NZ)

Synonyms 182101 (BLACK), 182102 (RED), 182103 (BLUE), 182181 (ASSORTED) - PRODUCT CODES

1.2 Uses and uses advised against

Uses ARTWORK • INK • WRITING

1.3 Details of the supplier of the product

Supplier name ACCO BRANDS NEW ZEALAND LTD

Address 29 Pukekiwiriki Place, Highbrook Business Park, East Tamaki, Auckland, 2013, NEW ZEALAND

Telephone +64 9 633 2288 (9am to 5pm, Monday to Friday)

Email sds.anz@acco.com

Website http://www.accobrands.co.nz

1.4 Emergency telephone numbers

Emergency 0800 764 766 "0800 POISON" (National Poisons Centre)

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

HAZARDOUS ACCORDING TO NZ ENVIRONMENTAL PROTECTION AUTHORITY CRITERIA

Physical Hazards

Not classified as a Physical Hazard

Health Hazards

Serious Eye Damage / Eye Irritation: Category 1

Skin Corrosion / Irritation: Category 2 Skin Sensitisation: Category 1

Specific Target Organ Toxicity (Single Exposure): Category 3 (Respiratory Irritation)

Environmental Hazards

Aquatic Toxicity (Acute): Category 1 Aquatic Toxicity (Chronic): Category 1

2.2 GHS Label elements

Signal word DANGER

Pictograms







Page 1 of 7

Hazard statements

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
 H318 Causes serious eye damage.
 H335 May cause respiratory irritation.
 H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.



SDS Date: 01 Dec 2025

Prevention statements

Avoid breathing dust/fume/gas/mist/vapours/spray. P261

P264 Wash thoroughly after handling.

Use only outdoors or in a well-ventilated area. P271

Contaminated work clothing should not be allowed out of the workplace. P272

P273 Avoid release to the environment.

Wear protective gloves/protective clothing/eye protection/face protection. P280

Response statements

P302 + P352 IF ON SKIN: Wash with plenty of water.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing.

Immediately call a POISON CENTRE or doctor/physician. P310 Specific treatment is advised - see first aid instructions. P321 P333 + P313 If skin irritation or rash occurs: Get medical advice/attention. P362 + P364 Take off contaminated clothing and wash it before reuse.

P391 Collect spillage.

Storage statements

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

Disposal statements

P501 Dispose of contents/container in accordance with relevant regulations.

2.3 Other hazards

Hazard classifications listed are for the liquid contained in the pen. Exposure is considered unlikely due to product form.

3. COMPOSITION/ INFORMATION ON INGREDIENTS

3.1 Substances / Mixtures

Ingredient	CAS Number	EC Number	Content
2-PHENOXYETHANOL	122-99-6	204-589-7	20 to 49%
BENZYL ALCOHOL	100-51-6	202-859-9	15 to 25%
TETRAMETHYLENE GLYCOL	110-63-4	615-930-8	10 to 24%
TRIETHANOLAMINE	102-71-6	203-049-8	1 to 5%
SOLVENT BLUE 43	61813-75-0	612-411-8	1 to 4%
C.I. SOLVENT BLACK 46	65113-55-5	265-686-8	20 to 30%
EPOXY RESIN	24969-06-0	607-468-0	5 to 26%
C.I. SOLVENT RED 252	1261971-57-6	700-502-6	10 to 24%
PROPYLENE GLYCOL (PROPANE-1,2-DIOL)	57-55-6	613-293-0	10 to 15%
KETONE RESIN	68441-83-8	-	10 to 14%
METHYL VIOLET B BASE	52080-58-7	610-776-8	1 to 5%
PHOSPHORIC ACID, MONO- AND BIS(2-ETHYLHEXYL) ESTERS	90506-69-7	291-933-4	1%

4. FIRST AID MEASURES

4.1 Description of first aid measures

If in eyes, hold eyelids apart and flush continuously with running water. Continue flushing until advised to Eve

stop by a Poisons Information Centre, a doctor, or for at least 15 minutes.

Inhalation If inhaled, remove from contaminated area. Apply artificial respiration if not breathing.

If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. Skin

Continue flushing with water until advised to stop by a Poisons Information Centre or a doctor.

For advice, contact the National Poisons Centre on 0800 764 766 (0800 POISON) or +643 479 7248 or a Ingestion

Page 2 of 7

doctor (at once). If swallowed, do not induce vomiting. Ingestion is considered unlikely due to product form.

First aid facilities Normal washroom facilities should be available.



SDS Date: 01 Dec 2025

4.2 Most important symptoms and effects, both acute and delayed

See Section 11 for more detailed information on health effects and symptoms.

4.3 Immediate medical attention and special treatment needed

Treat symptomatically.

5. FIRE FIGHTING MEASURES

5.1 Extinguishing media

Dry agent, carbon dioxide or foam. Prevent contamination of drains and waterways.

5.2 Special hazards arising from the substance or mixture

Combustible. May evolve carbon oxides and hydrocarbons when heated to decomposition.

5.3 Advice for firefighters

Evacuate area and contact emergency services. Toxic gases may be evolved in a fire situation. Remain upwind and notify those downwind of hazard. Wear full protective equipment including Self Contained Breathing Apparatus (SCBA) when combating fire. Use waterfog to cool intact containers and nearby storage areas.

5.4 Hazchem code

None allocated.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Wear Personal Protective Equipment (PPE) as detailed in section 8 of the SDS.

6.2 Environmental precautions

Prevent product from entering drains and waterways.

6.3 Methods of cleaning up

If spilt, collect and reuse where possible.

6.4 Reference to other sections

See Sections 8 and 13 for exposure controls and disposal.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Before use carefully read the product label. Use of safe work practices are recommended to avoid eye or skin contact and inhalation. Observe good personal hygiene, including washing hands before eating. Prohibit eating, drinking and smoking in contaminated areas.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry, well ventilated area, removed from incompatible substances, heat or ignition sources and foodstuffs. Ensure containers are adequately labelled, protected from physical damage and sealed when not in use.

7.3 Specific end uses

No information provided.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters

Exposure standards

Ingredient	Reference	TWA		STEL	
gredient		ppm	mg/m³	ppm	mg/m³
Propane-1,2-diol, Particulates only	WES [NZ]		10		
Propane-1,2-diol, Vapour and particulates	WES [NZ]	150	474		
Triethanolamine	WES [NZ]		1		

Page 3 of 7

Biological limits

No biological limit values have been entered for this product.



SDS Date: 01 Dec 2025

8.2 Exposure controls

Engineering controls Avoid inhalation. Use in well ventilated areas.

PPE

Eye / Face When using large quantities or where heavy contamination is likely, wear splash-proof goggles.

Hands When using large quantities or where heavy contamination is likely, wear nitrile gloves.

Body Not required under normal conditions of use. **Respiratory** Not required under normal conditions of use.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance COLOURED LIQUID (ENCLOSED IN A PEN)

Odour SLIGHT ODOUR

Flammability CLASS C2 COMBUSTIBLE Flash point > 113°C (Propylene glycol)

Boiling pointNOT AVAILABLEMelting pointNOT AVAILABLEEvaporation rateNOT AVAILABLE

pH 7.5

NOT AVAILABLE Vapour density **NOT AVAILABLE** Relative density **NOT AVAILABLE** Solubility (water) **NOT AVAILABLE** Vapour pressure **NOT AVAILABLE** Upper explosion limit Lower explosion limit **NOT AVAILABLE** Partition coefficient **NOT AVAILABLE NOT AVAILABLE** Autoignition temperature **NOT AVAILABLE** Decomposition temperature **NOT AVAILABLE** Viscosity **NOT AVAILABLE Explosive properties NOT AVAILABLE** Oxidising properties Odour threshold **NOT AVAILABLE**

10. STABILITY AND REACTIVITY

10.1 Reactivity

Carefully review all information provided in sections 10.2 to 10.6.

10.2 Chemical stability

Stable under recommended conditions of storage.

10.3 Possibility of hazardous reactions

Hazardous polymerisation is not expected to occur.

10.4 Conditions to avoid

Avoid shock, friction, heavy impact, heat, sparks, open flames and other ignition sources.

10.5 Incompatible materials

This product is considered relatively stable in the form supplied, however the contents of this product are incompatible with acids (e.g. nitric acid), oxidising agents (e.g. hypochlorites), heat and ignition sources.

10.6 Hazardous decomposition products

May evolve carbon oxides and hydrocarbons when heated to decomposition.

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity This product is expected to be of low toxicity. Due to the product form and nature of use, the potential for

Page 4 of 7

adverse health effects may be reduced.



SDS Date: 01 Dec 2025

Information available for the ingredients:

Ingredient	Oral LD50	Dermal LD50	Inhalation LC50
2-PHENOXYETHANOL	1,840 mg/kg (rat)	> 2000 mg/kg (rabbit)	
BENZYL ALCOHOL	1200 mg/kg (rat)	2000 mg/kg (rabbit)	> 4.178 mg/L (rat) (AICIS)
TETRAMETHYLENE GLYCOL	1525 mg/kg (rat)		
TRIETHANOLAMINE	6400 mg/kg (rat)	> 2000 mg/kg (rabbit)	
PROPYLENE GLYCOL (PROPANE-1,2-DIOL)	> 2080 mg/kg (quail)	20800 mg/kg (rabbit)	

Skin Due to product form, adverse health effects via skin contact are not anticipated. However, prolonged or

repeated contact may result in irritation, rash and dermatitis.

Due to product packaging, the potential for exposure is reduced. However, contact with packaged contents Eye

may result in irritation, lacrimation, pain, redness and possible burns with prolonged contact.

Sensitisation May cause an allergic skin reaction. This product is not classified as a respiratory sensitiser. Due to product

packaging, the potential for exposure is reduced.

Mutagenicity Not classified as a mutagen. Not classified as a carcinogen. Carcinogenicity Reproductive

Not classified as a reproductive toxin.

STOT - single Over exposure to vapours may result in irritation of the nose and throat, with coughing. High level exposure may result in dizziness, nausea and headache. Product form reduces the potential for over exposure. exposure

STOT - repeated exposure

Not classified as causing organ damage from repeated exposure.

Not classified as causing aspiration. **Aspiration**

12. ECOLOGICAL INFORMATION

12.1 Toxicity

Very toxic to aquatic life with long lasting effects.

12.2 Persistence and degradability

No information provided.

12.3 Bioaccumulative potential

No information provided.

12.4 Mobility in soil

No information provided.

12.5 Other adverse effects

Avoid contamination of drains and waterways.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Waste disposal No special precautions are required for the disposal of this product.

Legislation Dispose of in accordance with relevant local legislation.

14. TRANSPORT INFORMATION

NOT CLASSIFIED AS A DANGEROUS GOOD ACCORDING TO LAND TRANSPORT RULE: DANGEROUS GOODS 2005, IMDG **OR IATA**



Page 5 of 7



SDS Date: 01 Dec 2025

	LAND TRANSPORT (NZS 5433)	SEA TRANSPORT (IMDG / IMO)	AIR TRANSPORT (IATA / ICAO)
14.1 UN Number	None allocated.	None allocated.	None allocated.
14.2 Proper Shipping Name	None allocated.	None allocated.	None allocated.
14.3 Transport hazard class	None allocated.	None allocated.	None allocated.
14.4 Packing Group	None allocated.	None allocated.	None allocated.

14.5 Environmental hazards

Marine Pollutant.

14.6 Special precautions for user

Hazchem code None allocated.

Other information The environmentally hazardous substance mark is not required when transported in packages of less

than 5 kg/L (UN Model Regulations: Special Provision 375; IATA: Special Provision A197; IMDG:

Special Provision 969).

15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Approval code HSR002670 (2020)

Group standard Surface Coatings and Colourants (Subsidiary Hazard) Group Standard 2020

Inventory listings AUSTRALIA: AllC (Australian Inventory of Industrial Chemicals)

Some components are listed on AIIC, or are exempt.

EUROPE: EINECS (European Inventory of Existing Chemical Substances)

All components are listed on EINECS, or are exempt.

NEW ZEALAND: NZIoC (New Zealand Inventory of Chemicals) All components are listed on the NZIoC inventory, or are exempt.

16. OTHER INFORMATION

Additional information

WORK PRACTICES - SOLVENTS: Organic solvents may present both a health and flammability hazard. It is recommended that engineering controls should be adopted to reduce exposure where practicable (for example, if using indoors, ensure explosion proof extraction ventilation is available). Flammable or combustible liquids with explosive limits have the potential for ignition from static discharge. Refer to AS 1020 (The control of undesirable static electricity) and AS 1940 (The storage and handling of flammable and combustible liquids) for control procedures.

PERSONAL PROTECTIVE EQUIPMENT GUIDELINES:

The recommendation for protective equipment contained within this report is provided as a guide only. Factors such as form of product, method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

HEALTH EFFECTS FROM EXPOSURE:

It should be noted that the effects from exposure to this product will depend on several factors including: form of product; frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a report which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.



SDS Date: 01 Dec 2025

Abbreviations ACGIH American Conference of Governmental Industrial Hygienists

CAS # Chemical Abstract Service number - used to uniquely identify chemical compounds

CCID Chemical Classification and Information Database (HSNO)

CNS Central Nervous System

EC No. EC No - European Community Number

EMS Emergency Schedules (Emergency Procedures for Ships Carrying Dangerous

Goods)

EPA Environmental Protection Authority [New Zealand]

GHS Globally Harmonized System

HSNO Hazardous Substances and New Organisms
IARC International Agency for Research on Cancer

LC50 Lethal Concentration, 50% / Median Lethal Concentration

LD50 Lethal Dose, 50% / Median Lethal Dose

mg/m³ Milligrams per Cubic Metre
OEL Occupational Exposure Limit

pH relates to hydrogen ion concentration using a scale of 0 (high acidic) to 14 (highly

alkaline).

ppm Parts Per Million

STEL Short-Term Exposure Limit

STOT-RE Specific target organ toxicity (repeated exposure)
STOT-SE Specific target organ toxicity (single exposure)

TLV Threshold Limit Value TWA Time Weighted Average

Report status

This document has been compiled by RMT on behalf of the manufacturer, importer or supplier of the product and serves as their Safety Data Sheet ('SDS').

It is based on information concerning the product which has been provided to RMT by the manufacturer, importer or supplier or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer, importer or supplier.

While RMT has taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, RMT accepts no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS.

Prepared by

Risk Management Technologies 5 Ventnor Ave, West Perth Western Australia 6005 Phone: +61 8 9322 1711 Fax: +61 8 9322 1794 Email: info@rmtglobal.com Web: www.rmtglobal.com

[End of SDS]

Page 7 of 7



SDS Date: 01 Dec 2025