

# **SAFETY DATA SHEET**

# 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

1.1 Product identifier

Product name DERWENT ACADEMY COLOUR PENCILS

Synonyms COLOUR METALLIC PENCILS ● COLOUR NEON PENCILS ● COLOUR PASTEL PENCILS ● COLOUR

PENCILS • WATER COLOUR PENCILS

1.2 Uses and uses advised against

Uses COLOURING • DRAWING • PAINTING • PENCILS • PENCILS FOR DRAWING AND COLOURING •

PENCILS FOR PAINTING

1.3 Details of the supplier of the product

Supplier name ACCO BRANDS AUSTRALIA PTY LTD

Address 2 Coronation Avenue, Kings Park, NSW, 2148, AUSTRALIA

 Telephone
 (02) 9674 0900

 Email
 sds.anz@acco.com

Website http://www.accobrands.com.au

1.4 Emergency telephone numbers

**Emergency** 13 11 26 (Poisons Information Centre)

1.7 Details of alternative suppliers of the product

Supplier name ACCO BRANDS NEW ZEALAND LTD

29 Pukekiwiriki Place, Highbrook Business Park, East Tamaki, Auckland, 2013, NEW ZEALAND

Phone: +64 9 633 2288 (9am to 5pm, Monday to Friday)

Emergency: 0800 764 766 "0800 POISON" (National Poisons Centre)

sds.anz@acco.com

http://www.accobrands.co.nz

#### 2. HAZARDS IDENTIFICATION

# 2.1 Classification of the substance or mixture

NOT CLASSIFIED AS HAZARDOUS ACCORDING TO SAFE WORK AUSTRALIA CRITERIA

# 2.2 GHS Label elements

No signal word, pictograms, hazard or precautionary statements have been allocated.

# 2.3 Other hazards

No information provided.

# 3. COMPOSITION/ INFORMATION ON INGREDIENTS

# 3.1 Substances / Mixtures

Ingredient	CAS Number	EC Number	Content
KAOLIN	1332-58-7	310-194-1	60 to 70%
PARAFFIN WAX	8002-74-2	232-315-6	5 to 9%
PIGMENT(S)	-	-	<9%
SODIUM CARBOXYMETHYL CELLULOSE	9004-32-4	618-378-6	5 to 6%
TALLOW	61789-97-7	263-099-1	10 to 15%

Page 1 of 6 SDS Date: 14 Mar 2025

Revision No: 1



# 4. FIRST AID MEASURES

#### 4.1 Description of first aid measures

Eye If in eyes, hold eyelids apart and flush continuously with running water. Continue flushing until advised to

stop by a Poisons Information Centre, a doctor, or for at least 15 minutes. Due to product form and nature of

use, exposure is considered unlikely.

**Inhalation** If inhaled, remove from contaminated area. Apply artificial respiration if not breathing. Due to product form

and nature of use, exposure is considered unlikely.

**Skin** If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water.

Continue flushing with water until advised to stop by a Poisons Information Centre or a doctor. Due to

product form and nature of use, exposure is considered unlikely.

Ingestion For advice, contact a Poisons Information Centre on 13 11 26 (Australia Wide) or a doctor (at once). Due to

product form and application, ingestion is considered unlikely. Do not induce vomiting. Rinse mouth with

water provided person is conscious.

First aid facilities Normal washroom facilities should be available.

# 4.2 Most important symptoms and effects, both acute and delayed

See Section 11 for more detailed information on health effects and symptoms.

#### 4.3 Immediate medical attention and special treatment needed

Treat symptomatically.

# 5. FIRE FIGHTING MEASURES

#### 5.1 Extinguishing media

Dry agent, carbon dioxide, foam or water fog. Prevent contamination of drains or waterways. Do not use water jets.

## 5.2 Special hazards arising from the substance or mixture

Combustible. May evolve toxic gases (carbon/ nitrogen/ sulphur/ metal oxides, hydrogen chloride, phosgene, acrolein) when heated to decomposition.

# 5.3 Advice for firefighters

Evacuate area and contact emergency services. Toxic gases may be evolved in a fire situation. Remain upwind and notify those downwind of hazard. Wear full protective equipment including Self Contained Breathing Apparatus (SCBA) when combating fire. Use waterfog to cool intact containers and nearby storage areas.

## 5.4 Hazchem code

None allocated.

# 6. ACCIDENTAL RELEASE MEASURES

# 6.1 Personal precautions, protective equipment and emergency procedures

Wear Personal Protective Equipment (PPE) as detailed in section 8 of the SDS. Clear area of all unprotected personnel. Contact emergency services where appropriate.

# 6.2 Environmental precautions

Prevent product from entering drains and waterways.

#### 6.3 Methods of cleaning up

Contain spillage, then collect and place in suitable containers for reuse or disposal. Avoid generating dust.

### 6.4 Reference to other sections

See Sections 8 and 13 for exposure controls and disposal.

#### 7. HANDLING AND STORAGE

#### 7.1 Precautions for safe handling

Before use carefully read the product label. Use of safe work practices are recommended to avoid eye or skin contact and inhalation. Observe good personal hygiene, including washing hands before eating. Prohibit eating, drinking and smoking in contaminated areas.

ChemAlert.

SDS Date: 14 Mar 2025 Revision No: 1

Page 2 of 6

### PRODUCT NAME DERWENT ACADEMY COLOUR PENCILS

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry, well ventilated area, removed from incompatible substances, heat or ignition sources and foodstuffs. Ensure containers are adequately labelled, protected from physical damage and sealed when not in use. Check regularly for leaks or spills. Large storage areas should have appropriate ventilation systems.

#### 7.3 Specific end uses

No information provided.

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### 8.1 Control parameters

#### **Exposure standards**

Ingredient	Reference	TWA		STEL	
		ppm	mg/m³	ppm	mg/m³
Kaolin (Inspirable dust)	SWA [AUS]		10		
Kaolin (Respirable dust)	SWA [AUS]		2		
Paraffin wax (fume)	SWA [AUS]		2		

## **Biological limits**

No biological limit values have been entered for this product.

# 8.2 Exposure controls

Engineering controls Avoid inhalation. Use in well ventilated areas. Where an inhalation risk exists, mechanical explosion proof

extraction ventilation is recommended.

**PPE** 

Eye / FaceNot required under normal conditions of use.HandsNot required under normal conditions of use.BodyNot required under normal conditions of use.RespiratoryNot required under normal conditions of use.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

**Appearance** SOLID Odour **ODOURLESS Flammability COMBUSTIBLE** Flash point **NOT AVAILABLE Boiling point NOT AVAILABLE Melting point NOT AVAILABLE Evaporation rate NOT AVAILABLE NOT AVAILABLE** pН **NOT AVAILABLE** Vapour density **NOT AVAILABLE** Relative density **INSOLUBLE** Solubility (water) **NOT AVAILABLE** Vapour pressure **NOT AVAILABLE** Upper explosion limit Lower explosion limit **NOT AVAILABLE** Partition coefficient **NOT AVAILABLE Autoignition temperature NOT AVAILABLE Decomposition temperature NOT AVAILABLE NOT AVAILABLE Viscosity NOT AVAILABLE Explosive properties NOT AVAILABLE Oxidising properties NOT AVAILABLE Odour threshold** 

# 10. STABILITY AND REACTIVITY

#### 10.1 Reactivity

Carefully review all information provided in sections 10.2 to 10.6.



SDS Date: 14 Mar 2025 Revision No: 1

Page 3 of 6

#### PRODUCT NAME **DERWENT ACADEMY COLOUR PENCILS**

#### 10.2 Chemical stability

Stable under recommended conditions of storage.

#### 10.3 Possibility of hazardous reactions

Polymerization is not expected to occur.

## 10.4 Conditions to avoid

Avoid heat, sparks, open flames and other ignition sources. Avoid extremes of temperature and direct sunlight.

#### 10.5 Incompatible materials

Compatible with most commonly used materials.

#### 10.6 Hazardous decomposition products

May evolve toxic gases (carbon/ nitrogen/ sulphur/ metal oxides, hydrogen chloride, phosgene, acrolein) when heated to decomposition.

# 11. TOXICOLOGICAL INFORMATION

#### 11.1 Information on toxicological effects

**Acute toxicity** This product is expected to be of low acute toxicity. Under normal conditions of use, adverse health effects

are not anticipated. Ingestion of large amounts may cause gastrointestinal disturbances.

Information available for the ingredients:

Ingredient	Oral LD50	Dermal LD50	Inhalation LC50
KAOLIN	> 5000 mg/kg (rat)	> 5000 mg/kg (rat)	
PARAFFIN WAX	> 5,000 mg/kg (rat)	> 3,600 mg/kg (rabbit)	
SODIUM CARBOXYMETHYL CELLULOSE	16000 mg/kg (guinea	> 2000 mg/kg (rabbit)	

Skin Not classified as a skin irritant. Skin irritation is not anticipated under normal conditions of use. Not classified as an eye irritant. Eye irritation is not anticipated under normal conditions of use. Eve

Not classified as causing skin or respiratory sensitisation. Sensitisation

Mutagenicity Not classified as a mutagen. Carcinogenicity Not classified as a carcinogen. Reproductive Not classified as a reproductive toxin.

STOT - single exposure

Not classified as causing organ damage from single exposure.

STOT - repeated

exposure

Not classified as causing organ damage from repeated exposure.

**Aspiration** Not relevant.

# 12. ECOLOGICAL INFORMATION

# 12.1 Toxicity

No information provided.

# 12.2 Persistence and degradability

No information provided.

## 12.3 Bioaccumulative potential

No information provided.

# 12.4 Mobility in soil

No information provided.

# 12.5 Other adverse effects

No information provided.

# 13. DISPOSAL CONSIDERATIONS



SDS Date: 14 Mar 2025 Revision No: 1

Page 4 of 6

### PRODUCT NAME DERWENT ACADEMY COLOUR PENCILS

#### 13.1 Waste treatment methods

Waste disposal Reuse or recycle where possible. Alternatively, ensure product is covered with moist soil to prevent dust

generation and dispose of to an approved landfill site. Contact the manufacturer/supplier for additional

information (if required).

**Legislation** Dispose of in accordance with relevant local legislation.

## 14. TRANSPORT INFORMATION

#### NOT CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE, IMDG OR IATA

	LAND TRANSPORT (ADG)	SEA TRANSPORT (IMDG / IMO)	AIR TRANSPORT (IATA / ICAO)
14.1 UN Number	None allocated.	None allocated.	None allocated.
14.2 Proper Shipping Name	None allocated.	None allocated.	None allocated.
14.3 Transport hazard class	None allocated.	None allocated.	None allocated.
14.4 Packing Group	None allocated.	None allocated.	None allocated.

#### 14.5 Environmental hazards

Not a Marine Pollutant.

## 14.6 Special precautions for user

Hazchem code None allocated.

# 15. REGULATORY INFORMATION

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Poison schedule A poison schedule number has not been allocated to this product using the criteria in the Standard for the

Uniform Scheduling of Medicines and Poisons (SUSMP).

Classifications Safe Work Australia criteria is based on the Globally Harmonised System (GHS) of Classification and

Labelling of Chemicals (GHS Revision 7).

Inventory listings AUSTRALIA: AllC (Australian Inventory of Industrial Chemicals)

All components are listed on AIIC, or are exempt.

## 16. OTHER INFORMATION

#### Additional information

EXPOSURE STANDARDS - TIME WEIGHTED AVERAGES: Exposure standards are established on the premise of an 8 hour work period of normal intensity, under normal climatic conditions and where a 16 hour break between shifts exists to enable the body to eliminate absorbed contaminants. In the following circumstances, exposure standards must be reduced: Strenuous work conditions; hot, humid climates; high altitude conditions; extended shifts (which increase the exposure period and shorten the period of recuperation).

COMBUSTIBLE - EXPLOSIVE CARBONACEOUS DUST: Carbonaceous/organic dusts have the potential, with dispersion, to present an explosion hazard if an ignition source exists. All equipment used to handle, transfer or store this product MUST BE cleaned thoroughly prior to cutting, welding, drilling or exposure to any other form of heat or ignition sources. If bulk stored, containers should be ventilated on a routine basis to avoid vapour accumulation (where applicable, eg for flocculants).

# PERSONAL PROTECTIVE EQUIPMENT GUIDELINES:

The recommendation for protective equipment contained within this report is provided as a guide only. Factors such as form of product, method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

ChemAlert.

SDS Date: 14 Mar 2025 Revision No: 1

Page 5 of 6

#### **HEALTH EFFECTS FROM EXPOSURE:**

It should be noted that the effects from exposure to this product will depend on several factors including: form of product; frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a report which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.

Abbreviations ACGIH American Conference of Governmental Industrial Hygienists

CAS # Chemical Abstract Service number - used to uniquely identify chemical compounds

CNS Central Nervous System

EC No. EC No - European Community Number

EMS Emergency Schedules (Emergency Procedures for Ships Carrying Dangerous

Goods)

GHS Globally Harmonized System

GTEPG Group Text Emergency Procedure Guide IARC International Agency for Research on Cancer

LC50 Lethal Concentration, 50% / Median Lethal Concentration

LD50 Lethal Dose, 50% / Median Lethal Dose

mg/m³ Milligrams per Cubic Metre
OEL Occupational Exposure Limit

pH relates to hydrogen ion concentration using a scale of 0 (high acidic) to 14 (highly

alkaline).

ppm Parts Per Million

STEL Short-Term Exposure Limit

STOT-RE Specific target organ toxicity (repeated exposure)
STOT-SE Specific target organ toxicity (single exposure)

SUSMP Standard for the Uniform Scheduling of Medicines and Poisons

SWA Safe Work Australia
TLV Threshold Limit Value
TWA Time Weighted Average

# Report status

This document has been compiled by RMT on behalf of the manufacturer, importer or supplier of the product and serves as their Safety Data Sheet ('SDS').

It is based on information concerning the product which has been provided to RMT by the manufacturer, importer or supplier or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer, importer or supplier.

While RMT has taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, RMT accepts no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS.

#### Prepared by

Risk Management Technologies 5 Ventnor Ave, West Perth Western Australia 6005 Phone: +61 8 9322 1711 Fax: +61 8 9322 1794

Email: info@rmtglobal.com Web: www.rmtglobal.com

[ End of SDS ]

Page 6 of 6



SDS Date: 14 Mar 2025

Revision No: 1