

Safety Data Sheet

Artline

Xstamper

according to Safe Work Australia document

"Model Code of Practice : Preparation of safety data sheets for hazardous chemicals"

Colour

Issued Date: 19 July 2013 Revised Date: 23 September 2020

SECTION 1: Identification; Chemical product and company identification

1.1. Product identifier

Product Name : Xstamper REFILL INKS Colour: (Black)

> CS-10N (X-200 ink)

CS-20N CS-60N

Xstamper Products

Dyestuff type Xstamper







1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use : Stamp ink

1.3. Details of the supplier of the safety data sheet

Supplier Company Name : ACCO Brands Australia Pty Ltd

> Address : 2 Coronation Avenue, Kings Park, 2148 NSW, Australia : 02 9674 0900 (9am to 5pm AEST, Monday to Friday) Phone

: sds.anz@acco.com Contact (e-mail)

: www.accobrands.com.au Website

Manufacturer Company Name : Shachihata Inc.

> Address : 4-69, Amazuka-cho, Nishi-ku, Nagoya City, 451-0021, Japan

Phone : +81-52-521-3600 Fax : +81-52-521-3899

Contact (e-mail) chem-analysis@ngy.shachihata.co.jp

1.4. Emergency telephone number

Poisons Information Centre: 13 11 26

SECTION 2: Hazards identification

Hazardous Substance, Non-Dangerous Goods.

Classified as hazardous according to the criteria of Safe Work Australia (SWA - formerly NOHSC), and not classified as Dangerous Goods according to the Australian Dangerous Goods (ADG) Code for Transport by Road and Rail.

2.1. Classification of the substance or mixture

2.1.1. Classification (SWA)

Flammable liquids, Category 3 H226: Flammable liquid and vapour Eye irritation, Category 2A H319: Causes serious eye irritation

2.2. Label elements

Labelling (SWA)

Symbols



Note:

This product does not need to be considered as flammable liquids for Recommendations on the TRANSPORT OF DANGEROUS GOODS, UNITED NATIONS.

Refer to section 9 and 14.

Signal word : Warning

Hazard statement : Flammable liquid and vapour

Causes serious eye irritation

(Prevention)

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Take precautionary measures against static discharge.

Wash hands thoroughly after handling.

Wear eye protection. (P280)

[Response]

IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

(P210)

(P243)

(P264)

(P305+P351+P338)

(P370+P378)

(P501)

If eye irritation persists: Get medical advice and attention. (P337+P313)

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. (P303+P361+P353)

In case of fire: Use dry chemical powder, foam or carbon dioxide to extinguish.

(Storage)

Store in a well-ventilated place. Keep container tightly closed.

(P403+P233)

[Disposal]

Dispose of contents and container in accordance with local regulations.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

Ingredients:

Chemical Name / Generic name	Composition weight %	CAS Registry No.	Hazard Class (category)	Hazard statement
Ethyl alcohol	1 ~ 10	64-17-5	Flam. Liq. 2	H225
Derivative of vegetable oil	50 ~ 60	Confidential	none	none
Glycol class solvent	5 ~ 15	Confidential	none	none
2-(2-Butoxyethoxy)ethanol	5 ~ 15	112-34-5	Eye Irrit. 2A	H319
Synthetic resin	5 ~ 15	Confidential	none	none
Dyestuff	5 ~ 15	Confidential	none	none
total	100			

SECTION 4: First-aid measures

4.1. Description of first aid measures

IF INHALED : Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Consult a doctor if symptoms persist.

IF ON SKIN : Remove / Take off immediately all contaminated clothing. Wash with soap and water.

If skin irritation/rash occurs or feel unwell, consult a doctor for medical advice.

IF IN EYES : Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. If eye irritation persists, get medical advice/attention.

IF SWALLOWED: After rinse mouth immediately, give about 250 ml of water or milk and thin in the stomach,

and do not vomit forcibly. Moreover, do not give anything from the mouth to the patient

when not conscious. Receive the doctor's treatment (stomach pump) promptly.

SECTION 5: Firefighting-measures

5.1. Extinguishing media

: Dry chemical powder, foam or carbon dioxide Suitable extinguishing media

Unsuitable extinguishing media : Water jet

5.2. Special hazards arising from the substance or mixture

For initial stage extinction, carbon dioxide or dry chemical powder.

When a fire extends, fire is extinguished by a large amount of water spray.

In the extinction work, an appropriate protective equipment (gloves, glasses, and mask) has to be worn. Because during a fire, hazardous gases may be generated, fire-fighters have to wear self-contained breathing apparatus and other protective equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Evacuate personnel to safe area. Shut off all sources of ignition.

No Flares, smoking or flame in area. Put on protective equipment. Ensure adequate ventilation.

6.2. Environmental precautions

Do not throw the leakage thing directly into environment

6.3. Methods and material for containment and cleaning up

In case of a small spill, remove by absorbing with absorbents (sawdust, soil, sand, waste cloth, etc.),

and then wipe off the waste well with waste cloth, and rag.

In case of large spills, prevent leakage by enclosing with nonflammables (earth and sand, etc.)

and collect into empty container by scoop, suction equipment or the like.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling : Use with adequate ventilation.

Avoid contact with skin, eyes and clothing. Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage : Keep containers tightly closed and store in a cool and dry place.

areas and containers Keep away from heat and flame, ignition source and sunlight.

Keep out of the reach of children.

SECTION 8: Exposure controls and personal protection

8.1. Control parameters

Australian exposure standards (2019)

Ethyl alcohol TWA 1,000 ppm

EH40/2005 Workplace exposure limits (Fourth Edition, published 2020)

Ethyl alcohol TWA 1,000 ppm 2-(2-Butoxyethoxy)ethanol TWA 10 ppm

ACGIH (2020)

Ethyl alcohol STEL 1,000 ppm 2-(2-Butoxyethoxy)ethanol TWA 10 ppm

8.2. Exposure controls

Personal protective equipment

Respiratory Protection : Use with local exhaust ventilation, when in long use.

Avoid breathing vapours. Wear mask to prevent organic gas, if necessary.

Hand Protection : Avoid contact with hands. Wear safety gloves, if necessary. Eye Protection : Avoid contact with eyes. Wear safety glasses, if necessary.

Skin Protection : Avoid skin contact. Wear personal protection apron, boots, if necessary.

Environmental exposure controls

General advice : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform respective authorities.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : Black liquid

Odour : None

pH : Not applicable

Boiling point : 78 ~ 225 °C

Flash point : 36.5 °C (closed cup)

Not sustained combustibility; Refer to section14

Relative Density (at 25°C) : 1.0 (g/cm³)

Solubility in Water : Insoluble

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reaction known under conditions of normal use.

10.2. Chemical stability

Thermally stable at typical use temperatures.

10.3. Possibility of hazardous reactions

No data available

10.4. Conditions to Avoid

High temperature, Direct sunlight, Fire

10.5. Incompatible Materials

No data available

10.6. Hazardous decomposition products

CO, CO₂

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : LD/LC50 values that are relevant for classification

[Ethyl alcohol]

Oral-rat LD50 >5,000 mg/kg Inhalation-rat LC50 >20 mg/L/4h

[Glycol class solvent]

Oral-rat LD50 >5,000 mg/kg Dermal-rabbit LD50 >5,000 mg/kg

[2-(2-Butoxyethoxy)ethanol]

Oral-rat LD50 >2,000 - <=5,000 mg/kg
Dermal-rabbit LD50 >2,000 - <=5,000 mg/kg

Eye irritation : Category 2A Causes serious eye irritation

Carcinogenicity : This product does not contain any component that is considered

a human carcinogen by IARC, ACGIH, EPA, EU or NTP.

SECTION 12: Ecological information

12.1. Toxicity: No data available12.2. Persistence and degradability: No data available12.3. Bioaccumulative potential: No data available12.4. Mobility in soil: No data available12.5. Results of PBT and vPvB assessment: No data available12.6. Other adverse effects: No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal must be made according to official regulations.

Comply with all Federal, State, and Local regulations regarding disposal.

Determination of whether a Dangerous Good based on ADG Code criteria.

UN Numbers listed as "UN" followed by 4 digits.

Dangerous Good Classes and Labels for all Dangerous Goods.

Special Provisions listed.

Road - ADG - Australian Dangerous Goods Code (Road and Rail)

Air – IATA – International Air Transport Association

Sea - IMDG - International Maritime Dangerous Goods

14.1. UN number	ADG, IMDG, IATA	: None
14.2. UN proper shipping name	ADG, IMDG, IATA	: None
14.3. Transport hazard class(es)	ADG, IMDG, IATA	: None
14.4. Packing group	ADG, IMDG, IATA	: None
14.5. Environmental hazards	Marine pollutant	: N
14.6. Special precautions for user	EMS Number	: None
14.7. HAZCHEM Code		: None

This product has passed the SUSTAINED COMBUSTIBILITY TEST prescribed in the UN Manual of Tests and Criteria, Part Ⅲ, subsection 32.5.2. Liquids with a flash point of more than 35 °C which do not sustain combustion need not be considered as flammable liquids. Refer to Recommendations on the TRANSPORT OF DANGEROUS GOODS,UNITED NATIONS - Seventeenth revised edition (ST/SG/AC.10/1/Rev.17) CHAPTER 2.3 CLASS 3 - FLAMMABLE LIQUIDS (see 2.3.1.2 and 2.3.1.3), IATA Dangerous Goods Regulations Section 3.3.1.3 and IMDG Code Section 2.3.1.3.

SECTION 15: Regulatory information

This product does not contain any hazardous chemical that has been determined by Montreal Protocol (Ozone depleting substances), The Stockholm Convention (Persistent Organic Pollutants), and The Rotterdam Convention (Prior Informed Consent).

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixtureSafework Australia criteria is based on the Globally Harmonised System (GHS) of Classification and Labelling of Chemicals.

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

References

Model Code of Practice	Preparation of Safety Data Sheets for Hazardous Chemicals	
	Labelling of Workplace Hazardous Chemicals	
GHS	Globally Harmonised System of Classification and Labelling of Chemicals	
Safe Work Australia HSIS	http://hsis.safeworkaustralia.gov.au/HazardousSubstance	
WES	Workplace Exposure Standards for Airborne Contaminants (2019)	
ADG Code	Australian Code for the Transport of Dangerous Goods by Road & Rail Edition 7.6, 2018	



EU RoHS EU ELV (Directive 2011/65/EU) (DIRECTIVE 2000/53/EC)



Safety Data Sheet

Xstamper

Artline

according to Safe Work Australia document

"Model Code of Practice : Preparation of safety data sheets for hazardous chemicals"

Issued Date: 19 July 2013 Revised Date: 23 September 2020

SECTION 1: Identification; Chemical product and company identification

1.1. Product identifier

Product Name : Xstamper REFILL INKS Colour: (Blue)

> CS-10N (X-200 ink)

CS-20N

CS-60N

Colour









Xstamper Products

Dyestuff type Xstamper

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use : Stamp ink

1.3. Details of the supplier of the safety data sheet

Supplier Company Name : ACCO Brands Australia Pty Ltd

> Address : 2 Coronation Avenue, Kings Park, 2148 NSW, Australia : 02 9674 0900 (9am to 5pm AEST, Monday to Friday) Phone

: sds.anz@acco.com Contact (e-mail)

: www.accobrands.com.au Website

Manufacturer Company Name : Shachihata Inc.

> Address : 4-69, Amazuka-cho, Nishi-ku, Nagoya City, 451-0021, Japan

Phone : +81-52-521-3600 Fax : +81-52-521-3899

Contact (e-mail) chem-analysis@ngy.shachihata.co.jp

1.4. Emergency telephone number

Poisons Information Centre: 13 11 26

SECTION 2: Hazards identification

Hazardous Substance, Non-Dangerous Goods.

Classified as hazardous according to the criteria of Safe Work Australia (SWA - formerly NOHSC), and not classified as Dangerous Goods according to the Australian Dangerous Goods (ADG) Code for Transport by Road and Rail.

2.1. Classification of the substance or mixture

2.1.1. Classification (SWA)

Flammable liquids, Category 3 H226: Flammable liquid and vapour Eye irritation, Category 2A H319: Causes serious eye irritation

2.2. Label elements

Labelling (SWA)

Symbols



Note:

This product does not need to be considered as flammable liquids for Recommendations on the TRANSPORT OF DANGEROUS GOODS, UNITED NATIONS.

Refer to section 9 and 14.

Signal word : Warning

Hazard statement : Flammable liquid and vapour

Causes serious eye irritation

[Prevention]

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Take precautionary measures against static discharge.

Wash hands thoroughly after handling.

Wear eye protection. (P280)

[Response]

IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice and attention.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. (P303+P361+P363)

1 ON ONLY (of hair). Take on immediately all contaminated clothing. Ninse skill with water.

In case of fire: Use dry chemical powder, foam or carbon dioxide to extinguish.

[Storage]

Store in a well-ventilated place. Keep container tightly closed.

Keep container tightly closed. (P403+P233)

(P210)

(P243)

(P264)

(P305+P351+P338)

(P337+P313)

(P370+P378)

(P501)

[Disposal]

Dispose of contents and container in accordance with local regulations.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

Ingredients:

Chemical Name / Generic name	Composition	CAS	Hazard Class	Hazard statement
Generic name	weight %	Registry No.	(category)	
Ethyl alcohol	1 ~ 10	64-17-5	Flam. Liq. 2	H225
Derivative of vegetable oil	45 ~ 55	Confidential	none	none
Glycol class solvent	5 ~ 15	Confidential	none	none
2-(2-Butoxyethoxy)ethanol	5 ~ 15	112-34-5	Eye Irrit. 2A	H319
Synthetic resin	5 ~ 15	Confidential	none	none
Dyestuff	10 ~ 20	Confidential	none	none
total	100			

SECTION 4: First-aid measures

4.1. Description of first aid measures

IF INHALED : Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Consult a doctor if symptoms persist.

IF ON SKIN : Remove / Take off immediately all contaminated clothing. Wash with soap and water.

If skin irritation/rash occurs or feel unwell, consult a doctor for medical advice.

IF IN EYES : Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. If eye irritation persists, get medical advice/attention.

IF SWALLOWED : After rinse mouth immediately, give about 250 ml of water or milk and thin in the stomach,

and do not vomit forcibly. Moreover, do not give anything from the mouth to the patient

when not conscious. Receive the doctor's treatment (stomach pump) promptly.

SECTION 5: Firefighting-measures

5.1. Extinguishing media

Suitable extinguishing media : Dry chemical powder, foam or carbon dioxide

Unsuitable extinguishing media : Water jet

5.2. Special hazards arising from the substance or mixture

For initial stage extinction, carbon dioxide or dry chemical powder.

When a fire extends, fire is extinguished by a large amount of water spray.

In the extinction work, an appropriate protective equipment (gloves, glasses, and mask) has to be worn.

Because during a fire, hazardous gases may be generated, fire-fighters have to wear self-contained breathing apparatus and other protective equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Evacuate personnel to safe area. Shut off all sources of ignition.

No Flares, smoking or flame in area. Put on protective equipment. Ensure adequate ventilation.

6.2. Environmental precautions

Do not throw the leakage thing directly into environment

6.3. Methods and material for containment and cleaning up

In case of a small spill, remove by absorbing with absorbents (sawdust, soil, sand, waste cloth, etc.),

and then wipe off the waste well with waste cloth, and rag.

In case of large spills, prevent leakage by enclosing with nonflammables (earth and sand, etc.)

and collect into empty container by scoop, suction equipment or the like.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling : Use with adequate ventilation.

Avoid contact with skin, eyes and clothing. Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage : Keep containers tightly closed and store in a cool and dry place.

areas and containers Keep away from heat and flame, ignition source and sunlight.

Keep out of the reach of children.

SECTION 8: Exposure controls and personal protection

8.1. Control parameters

Australian exposure standards (2019)

Ethyl alcohol TWA 1,000 ppm

EH40/2005 Workplace exposure limits (Fourth Edition, published 2020)

Ethyl alcohol TWA 1,000 ppm 2-(2-Butoxyethoxy)ethanol TWA 10 ppm

ACGIH (2020)

Ethyl alcohol STEL 1,000 ppm 2-(2-Butoxyethoxy)ethanol TWA 10 ppm

8.2. Exposure controls

Personal protective equipment

Respiratory Protection : Use with local exhaust ventilation, when in long use.

Avoid breathing vapours. Wear mask to prevent organic gas, if necessary.

Hand Protection : Avoid contact with hands. Wear safety gloves, if necessary. Eye Protection : Avoid contact with eyes. Wear safety glasses, if necessary.

Skin Protection : Avoid skin contact. Wear personal protection apron, boots, if necessary.

Environmental exposure controls

General advice : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform respective authorities.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : Blue liquid

Odour : None

: Not applicable рΗ : 78 ~ 225 °C

Boiling point

: 40.0 °C (closed cup) Not sustained combustibility; Refer to section14 Flash point

Relative Density (at 25°C) 1.0 (g/cm^3) Solubility in Water : Insoluble

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reaction known under conditions of normal use.

10.2. Chemical stability

Thermally stable at typical use temperatures.

10.3. Possibility of hazardous reactions

No data available

10.4. Conditions to Avoid

High temperature, Direct sunlight, Fire

10.5. Incompatible Materials

No data available

10.6. Hazardous decomposition products

CO, CO₂

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : LD/LC50 values that are relevant for classification

[Ethyl alcohol]

Oral-rat LD50 >5,000 mg/kg Inhalation-rat LC50 >20 mg/L/4h

[Glycol class solvent]

Oral-rat LD50 >5,000 mg/kg Dermal-rabbit LD50 >5,000 mg/kg

[2-(2-Butoxyethoxy)ethanol]

Oral-rat LD50 >2,000 - <=5,000 mg/kg Dermal-rabbit LD50 >2,000 - <=5,000 mg/kg

Eye irritation : Category 2A Causes serious eye irritation

Carcinogenicity : This product does not contain any component that is considered

a human carcinogen by IARC, ACGIH, EPA, EU or NTP.

SECTION 12: Ecological information

: No data available 12.1. Toxicity : No data available 12.2. Persistence and degradability : No data available 12.3. Bioaccumulative potential 12.4. Mobility in soil : No data available : No data available 12.5. Results of PBT and vPvB assessment 12.6. Other adverse effects : No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal must be made according to official regulations.

Comply with all Federal, State, and Local regulations regarding disposal.

Determination of whether a Dangerous Good based on ADG Code criteria.

UN Numbers listed as "UN" followed by 4 digits.

Dangerous Good Classes and Labels for all Dangerous Goods.

Special Provisions listed.

Road – ADG – Australian Dangerous Goods Code (Road and Rail)

Air – IATA – International Air Transport Association

Sea - IMDG - International Maritime Dangerous Goods

14.1. UN number	ADG, IMDG, IATA	: None
14.2. UN proper shipping name	ADG, IMDG, IATA	: None
14.3. Transport hazard class(es)	ADG, IMDG, IATA	: None
14.4. Packing group	ADG, IMDG, IATA	: None
14.5. Environmental hazards	Marine pollutant	: N
14.6. Special precautions for user	EMS Number	: None
14.7. HAZCHEM Code		: None

This product has passed the SUSTAINED COMBUSTIBILITY TEST prescribed in the UN Manual of Tests and Criteria, Part Ⅲ, subsection 32.5.2. Liquids with a flash point of more than 35 °C which do not sustain combustion need not be considered as flammable liquids. Refer to Recommendations on the TRANSPORT OF DANGEROUS GOODS,UNITED NATIONS - Seventeenth revised edition (ST/SG/AC.10/1/Rev.17) CHAPTER 2.3 CLASS 3 - FLAMMABLE LIQUIDS (see 2.3.1.2 and 2.3.1.3), IATA Dangerous Goods Regulations Section 3.3.1.3 and IMDG Code Section 2.3.1.3.

SECTION 15: Regulatory information

This product does not contain any hazardous chemical that has been determined by Montreal Protocol (Ozone depleting substances), The Stockholm Convention (Persistent Organic Pollutants), and The Rotterdam Convention (Prior Informed Consent).

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixtureSafework Australia criteria is based on the Globally Harmonised System (GHS) of Classification and Labelling of Chemicals.

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

References

Model Code of Practice	Preparation of Safety Data Sheets for Hazardous Chemicals	
	Labelling of Workplace Hazardous Chemicals	
GHS	Globally Harmonised System of Classification and Labelling of Chemicals	
Safe Work Australia HSIS	http://hsis.safeworkaustralia.gov.au/HazardousSubstance	
WES	Workplace Exposure Standards for Airborne Contaminants (2019)	
ADG Code	Australian Code for the Transport of Dangerous Goods by Road & Rail Edition 7.6, 2018	



EU RoHS (D EU ELV (D

(Directive 2011/65/EU) (DIRECTIVE 2000/53/EC)



Artline

Xstamper

Safety Data Sheet

according to Safe Work Australia document

"Model Code of Practice : Preparation of safety data sheets for hazardous chemicals"

Colour

Issued Date: 19 July 2013 Revised Date: 23 September 2020

SECTION 1: Identification; Chemical product and company identification

1.1. Product identifier

Product Name : Xstamper REFILL INKS Colour: (Brown)

CS-10N (Y-30 ink)

CS-20N

CS-60N

Xstamper Products

Dyestuff type Xstamper







1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use : Stamp ink

1.3. Details of the supplier of the safety data sheet

Supplier Company Name : ACCO Brands Australia Pty Ltd

Address : 2 Coronation Avenue, Kings Park, 2148 NSW, Australia Phone : 02 9674 0900 (9am to 5pm AEST, Monday to Friday)

Contact (e-mail) : sds.anz@acco.com

Website : www.accobrands.com.au

Manufacturer Company Name : Shachihata Inc.

Address : 4-69, Amazuka-cho, Nishi-ku, Nagoya City, 451-0021, Japan

Phone : +81-52-521-3600 Fax : +81-52-521-3899

Contact (e-mail) : chem-analysis@ngy.shachihata.co.jp

1.4. Emergency telephone number

Poisons Information Centre: 13 11 26

X stamper

SECTION 2: Hazards identification

Hazardous Substance, Non-Dangerous Goods.

Classified as hazardous according to the criteria of Safe Work Australia (SWA - formerly NOHSC), and not classified as Dangerous Goods according to the Australian Dangerous Goods (ADG) Code for Transport by Road and Rail.

2.1. Classification of the substance or mixture

2.1.1. Classification (SWA)

Flammable liquids, Category 3 H226 : Flammable liquid and vapour Eye irritation, Category 2A H319 : Causes serious eye irritation

2.2. Label elements

Labelling (SWA)

Symbols



Note:

This product does not need to be considered as flammable liquids for Recommendations on the TRANSPORT OF DANGEROUS GOODS, UNITED NATIONS.

Refer to section 9 and 14.

Signal word : Warning

Hazard statement : Flammable liquid and vapour

Causes serious eye irritation

(Prevention)

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Take precautionary measures against static discharge.

Wash hands thoroughly after handling. (P264)

Wear eye protection. (P280)

[Response]

IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

(P210)

(P243)

(P305+P351+P338)

(P337+P313)

(P370+P378)

(P501)

If eye irritation persists: Get medical advice and attention.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. (P303+P361+P353)

In case of fire: Use dry chemical powder, foam or carbon dioxide to extinguish.

(Storage)

Store in a well-ventilated place. Keep container tightly closed.

(P403+P233)

[Disposal]

Dispose of contents and container in accordance with local regulations.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

Ingredients:

Chemical Name /	Composition	CAS	Hazard Class	Hazard statement
Generic name	weight %	Registry No.	(category)	
Ethyl alcohol	1 ~ 10	64-17-5	Flam. Liq. 2	H225
Derivative of vegetable oil	50 ~ 60	Confidential	none	none
Glycol class solvent	5 ~ 15	Confidential	none	none
2-(2-Butoxyethoxy)ethanol	5 ~ 15	112-34-5	Eye Irrit. 2A	H319
Synthetic resin	1 ~ 10	Confidential	none	none
Dyestuff	10 ~ 20	Confidential	none	none
total	100			

SECTION 4: First-aid measures

4.1. Description of first aid measures

IF INHALED : Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Consult a doctor if symptoms persist.

IF ON SKIN : Remove / Take off immediately all contaminated clothing. Wash with soap and water.

If skin irritation/rash occurs or feel unwell, consult a doctor for medical advice.

IF IN EYES : Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. If eye irritation persists, get medical advice/attention.

IF SWALLOWED: After rinse mouth immediately, give about 250 ml of water or milk and thin in the stomach,

and do not vomit forcibly. Moreover, do not give anything from the mouth to the patient

when not conscious. Receive the doctor's treatment (stomach pump) promptly.

SECTION 5: Firefighting-measures

5.1. Extinguishing media

: Dry chemical powder, foam or carbon dioxide Suitable extinguishing media

Unsuitable extinguishing media : Water jet

5.2. Special hazards arising from the substance or mixture

For initial stage extinction, carbon dioxide or dry chemical powder.

When a fire extends, fire is extinguished by a large amount of water spray.

In the extinction work, an appropriate protective equipment (gloves, glasses, and mask) has to be worn.

Because during a fire, hazardous gases may be generated, fire-fighters have to wear self-contained breathing apparatus and other protective equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Evacuate personnel to safe area. Shut off all sources of ignition.

No Flares, smoking or flame in area. Put on protective equipment. Ensure adequate ventilation.

6.2. Environmental precautions

Do not throw the leakage thing directly into environment

6.3. Methods and material for containment and cleaning up

In case of a small spill, remove by absorbing with absorbents (sawdust, soil, sand, waste cloth, etc.),

and then wipe off the waste well with waste cloth, and rag.

In case of large spills, prevent leakage by enclosing with nonflammables (earth and sand, etc.)

and collect into empty container by scoop, suction equipment or the like.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling : Use with adequate ventilation.

Avoid contact with skin, eyes and clothing. Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage : Keep containers tightly closed and store in a cool and dry place.

areas and containers Keep away from heat and flame, ignition source and sunlight.

Keep out of the reach of children.

SECTION 8: Exposure controls and personal protection

8.1. Control parameters

Australian exposure standards (2019)

Ethyl alcohol TWA 1,000 ppm

EH40/2005 Workplace exposure limits (Fourth Edition, published 2020)

Ethyl alcohol TWA 1,000 ppm 2-(2-Butoxyethoxy)ethanol TWA 10 ppm

ACGIH (2020)

Ethyl alcohol STEL 1,000 ppm 2-(2-Butoxyethoxy)ethanol TWA 10 ppm

8.2. Exposure controls

Personal protective equipment

Respiratory Protection : Use with local exhaust ventilation, when in long use.

Avoid breathing vapours. Wear mask to prevent organic gas, if necessary.

Hand Protection : Avoid contact with hands. Wear safety gloves, if necessary. Eye Protection : Avoid contact with eyes. Wear safety glasses, if necessary.

Skin Protection : Avoid skin contact. Wear personal protection apron, boots, if necessary.

Environmental exposure controls

General advice : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform respective authorities.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : Brown liquid

Odour : None

pH : Not applicable

Boiling point : 78 ~ 225 °C

Flash point : 38.5 °C (closed cup)

Not sustained combustibility; Refer to section14

Relative Density (at 25°C) : 1.0 (g/cm³)

Solubility in Water : Insoluble

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reaction known under conditions of normal use.

10.2. Chemical stability

Thermally stable at typical use temperatures.

10.3. Possibility of hazardous reactions

No data available

10.4. Conditions to Avoid

High temperature, Direct sunlight, Fire

10.5. Incompatible Materials

No data available

10.6. Hazardous decomposition products

CO, CO₂

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : LD/LC50 values that are relevant for classification

[Ethyl alcohol]

Oral-rat LD50 >5,000 mg/kg Inhalation-rat LC50 >20 mg/L/4h

[Glycol class solvent]

Oral-rat LD50 >5,000 mg/kg Dermal-rabbit LD50 >5,000 mg/kg

[2-(2-Butoxyethoxy)ethanol]

Oral-rat LD50 >2,000 - <=5,000 mg/kg
Dermal-rabbit LD50 >2,000 - <=5,000 mg/kg

Eye irritation : Category 2A Causes serious eye irritation

Carcinogenicity : This product does not contain any component that is considered

a human carcinogen by IARC, ACGIH, EPA, EU or NTP.

SECTION 12: Ecological information

12.1. Toxicity: No data available12.2. Persistence and degradability: No data available12.3. Bioaccumulative potential: No data available12.4. Mobility in soil: No data available12.5. Results of PBT and vPvB assessment: No data available12.6. Other adverse effects: No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal must be made according to official regulations.

Comply with all Federal, State, and Local regulations regarding disposal.

Determination of whether a Dangerous Good based on ADG Code criteria.

UN Numbers listed as "UN" followed by 4 digits.

Dangerous Good Classes and Labels for all Dangerous Goods.

Special Provisions listed.

Road - ADG - Australian Dangerous Goods Code (Road and Rail)

Air – IATA – International Air Transport Association

Sea - IMDG - International Maritime Dangerous Goods

14.1. UN number	ADG, IMDG, IATA	: None
14.2. UN proper shipping name	ADG, IMDG, IATA	: None
14.3. Transport hazard class(es)	ADG, IMDG, IATA	: None
14.4. Packing group	ADG, IMDG, IATA	: None
14.5. Environmental hazards	Marine pollutant	: N
14.6. Special precautions for user	EMS Number	: None
14.7. HAZCHEM Code		: None

This product has passed the SUSTAINED COMBUSTIBILITY TEST prescribed in the UN Manual of Tests and Criteria, Part Ⅲ, subsection 32.5.2. Liquids with a flash point of more than 35 °C which do not sustain combustion need not be considered as flammable liquids. Refer to Recommendations on the TRANSPORT OF DANGEROUS GOODS,UNITED NATIONS - Seventeenth revised edition (ST/SG/AC.10/1/Rev.17) CHAPTER 2.3 CLASS 3 - FLAMMABLE LIQUIDS (see 2.3.1.2 and 2.3.1.3), IATA Dangerous Goods Regulations Section 3.3.1.3 and IMDG Code Section 2.3.1.3.

SECTION 15: Regulatory information

This product does not contain any hazardous chemical that has been determined by Montreal Protocol (Ozone depleting substances), The Stockholm Convention (Persistent Organic Pollutants), and The Rotterdam Convention (Prior Informed Consent).

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixtureSafework Australia criteria is based on the Globally Harmonised System (GHS) of Classification and Labelling of Chemicals.

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

References

Model Code of Practice	Preparation of Safety Data Sheets for Hazardous Chemicals
	Labelling of Workplace Hazardous Chemicals
GHS	Globally Harmonised System of Classification and Labelling of Chemicals
Safe Work Australia HSIS	http://hsis.safeworkaustralia.gov.au/HazardousSubstance
WES	Workplace Exposure Standards for Airborne Contaminants (2019)
ADG Code	Australian Code for the Transport of Dangerous Goods by Road & Rail Edition 7.6, 2018



EU RoHS EU ELV (Directive 2011/65/EU) (DIRECTIVE 2000/53/EC)



Safety Data Sheet

Xstamper

Artline

according to Safe Work Australia document

"Model Code of Practice : Preparation of safety data sheets for hazardous chemicals"

Issued Date: 19 July 2013 Revised Date: 23 September 2020

SECTION 1: Identification; Chemical product and company identification

1.1. Product identifier

Product Name : Xstamper REFILL INKS Colour : (Green)

CS-10N (X-200 ink)

CS-20N

CS-60N

Colour







Xstamper Products

Dyestuff type Xstamper

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use : Stamp ink

1.3. Details of the supplier of the safety data sheet

Supplier Company Name : ACCO Brands Australia Pty Ltd

Address : 2 Coronation Avenue, Kings Park, 2148 NSW, Australia Phone : 02 9674 0900 (9am to 5pm AEST, Monday to Friday)

Contact (e-mail) : sds.anz@acco.com

Website : www.accobrands.com.au

Manufacturer Company Name : Shachihata Inc.

Address : 4-69, Amazuka-cho, Nishi-ku, Nagoya City, 451-0021, Japan

Phone : +81-52-521-3600 Fax : +81-52-521-3899

Contact (e-mail) : chem-analysis@ngy.shachihata.co.jp

1.4. Emergency telephone number

Poisons Information Centre: 13 11 26

Xstomper

SECTION 2: Hazards identification

Hazardous Substance, Non-Dangerous Goods.

Classified as hazardous according to the criteria of Safe Work Australia (SWA - formerly NOHSC), and not classified as Dangerous Goods according to the Australian Dangerous Goods (ADG) Code for Transport by Road and Rail.

2.1. Classification of the substance or mixture

2.1.1. Classification (SWA)

Flammable liquids, Category 3 H226 : Flammable liquid and vapour Eye irritation, Category 2A H319 : Causes serious eye irritation

2.2. Label elements

Labelling (SWA)

Symbols



Note:

This product does not need to be considered as flammable liquids for Recommendations on the TRANSPORT OF DANGEROUS GOODS,UNITED NATIONS.

Refer to section 9 and 14.

Signal word : Warning

Hazard statement : Flammable liquid and vapour

Causes serious eye irritation

[Prevention]

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Take precautionary measures against static discharge.

Wash hands thoroughly after handling.

Wear eye protection. (P280)

[Response]

IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

(P210)

(P243)

(P264)

(P305+P351+P338)

(P337+P313)

(P370+P378)

(P403+P233)

(P501)

If eye irritation persists: Get medical advice and attention.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

In case of fire: Use dry chemical powder, foam or carbon dioxide to extinguish.

(Storage)

Store in a well-ventilated place. Keep container tightly closed.

To it a workington place. Neep container tigrity deced.

[Disposal]

Dispose of contents and container in accordance with local regulations.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

Ingredients:

Chemical Name / Generic name	Composition	CAS	Hazard Class	Hazard statement
Generic name	weight %	Registry No.	(category)	
Ethyl alcohol	1 ~ 10	64-17-5	Flam. Liq. 2	H225
Derivative of vegetable oil	45 ~ 55	Confidential	none	none
Glycol class solvent	5 ~ 15	Confidential	none	none
2-(2-Butoxyethoxy)ethanol	5 ~ 15	112-34-5	Eye Irrit. 2A	H319
Synthetic resin	5 ~ 15	Confidential	none	none
Dyestuff	10 ~ 20	Confidential	none	none
total	100			

SECTION 4: First-aid measures

4.1. Description of first aid measures

IF INHALED : Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Consult a doctor if symptoms persist.

IF ON SKIN : Remove / Take off immediately all contaminated clothing. Wash with soap and water.

If skin irritation/rash occurs or feel unwell, consult a doctor for medical advice.

IF IN EYES : Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. If eye irritation persists, get medical advice/attention.

IF SWALLOWED : After rinse mouth immediately, give about 250 ml of water or milk and thin in the stomach,

and do not vomit forcibly. Moreover, do not give anything from the mouth to the patient

when not conscious. Receive the doctor's treatment (stomach pump) promptly.

SECTION 5: Firefighting-measures

5.1. Extinguishing media

Suitable extinguishing media : Dry chemical powder, foam or carbon dioxide

Unsuitable extinguishing media : Water jet

5.2. Special hazards arising from the substance or mixture

For initial stage extinction, carbon dioxide or dry chemical powder.

When a fire extends, fire is extinguished by a large amount of water spray.

In the extinction work, an appropriate protective equipment (gloves, glasses, and mask) has to be worn.

Because during a fire, hazardous gases may be generated, fire-fighters have to wear self-contained breathing apparatus and other protective equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Evacuate personnel to safe area. Shut off all sources of ignition.

No Flares, smoking or flame in area. Put on protective equipment. Ensure adequate ventilation.

6.2. Environmental precautions

Do not throw the leakage thing directly into environment

6.3. Methods and material for containment and cleaning up

In case of a small spill, remove by absorbing with absorbents (sawdust, soil, sand, waste cloth, etc.),

and then wipe off the waste well with waste cloth, and rag.

In case of large spills, prevent leakage by enclosing with nonflammables (earth and sand, etc.)

and collect into empty container by scoop, suction equipment or the like.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling : Use with adequate ventilation.

Avoid contact with skin, eyes and clothing. Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage : Keep containers tightly closed and store in a cool and dry place.

areas and containers Keep away from heat and flame, ignition source and sunlight.

Keep out of the reach of children.

SECTION 8: Exposure controls and personal protection

8.1. Control parameters

Australian exposure standards (2019)

Ethyl alcohol TWA 1,000 ppm

EH40/2005 Workplace exposure limits (Fourth Edition, published 2020)

Ethyl alcohol TWA 1,000 ppm 2-(2-Butoxyethoxy)ethanol TWA 10 ppm

ACGIH (2020)

Ethyl alcohol STEL 1,000 ppm 2-(2-Butoxyethoxy)ethanol TWA 10 ppm

8.2. Exposure controls

Personal protective equipment

Respiratory Protection : Use with local exhaust ventilation, when in long use.

Avoid breathing vapours. Wear mask to prevent organic gas, if necessary.

Hand Protection : Avoid contact with hands. Wear safety gloves, if necessary. Eye Protection : Avoid contact with eyes. Wear safety glasses, if necessary.

Skin Protection : Avoid skin contact. Wear personal protection apron, boots, if necessary.

Environmental exposure controls

General advice : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform respective authorities.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : Green liquid

Odour : None

pH : Not applicable

Boiling point : 78 ~ 225 °C

Flash point : 40.0 °C (closed cup)

Not sustained combustibility; Refer to section14

Relative Density (at 25°C) : 1.0 (g/cm³)

Solubility in Water : Insoluble

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reaction known under conditions of normal use.

10.2. Chemical stability

Thermally stable at typical use temperatures.

10.3. Possibility of hazardous reactions

No data available

10.4. Conditions to Avoid

High temperature, Direct sunlight, Fire

10.5. Incompatible Materials

No data available

10.6. Hazardous decomposition products

CO, CO₂

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : LD/LC50 values that are relevant for classification

[Ethyl alcohol]

Oral-rat LD50 >5,000 mg/kg Inhalation-rat LC50 >20 mg/L/4h

[Glycol class solvent]

Oral-rat LD50 >5,000 mg/kg Dermal-rabbit LD50 >5,000 mg/kg

[2-(2-Butoxyethoxy)ethanol]

Oral-rat LD50 >2,000 - <=5,000 mg/kg
Dermal-rabbit LD50 >2,000 - <=5,000 mg/kg

Eye irritation : Category 2A Causes serious eye irritation

Carcinogenicity : This product does not contain any component that is considered

a human carcinogen by IARC, ACGIH, EPA, EU or NTP.

SECTION 12: Ecological information

12.1. Toxicity: No data available12.2. Persistence and degradability: No data available12.3. Bioaccumulative potential: No data available12.4. Mobility in soil: No data available12.5. Results of PBT and vPvB assessment: No data available12.6. Other adverse effects: No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal must be made according to official regulations.

Comply with all Federal, State, and Local regulations regarding disposal.

Determination of whether a Dangerous Good based on ADG Code criteria.

UN Numbers listed as "UN" followed by 4 digits.

Dangerous Good Classes and Labels for all Dangerous Goods.

Special Provisions listed.

Road - ADG - Australian Dangerous Goods Code (Road and Rail)

Air – IATA – International Air Transport Association

Sea - IMDG - International Maritime Dangerous Goods

14.1. UN number	ADG, IMDG, IATA	: None
14.2. UN proper shipping name	ADG, IMDG, IATA	: None
14.3. Transport hazard class(es)	ADG, IMDG, IATA	: None
14.4. Packing group	ADG, IMDG, IATA	: None
14.5. Environmental hazards	Marine pollutant	: N
14.6. Special precautions for user	EMS Number	: None
14.7. HAZCHEM Code		: None

This product has passed the SUSTAINED COMBUSTIBILITY TEST prescribed in the UN Manual of Tests and Criteria, Part Ⅲ, subsection 32.5.2. Liquids with a flash point of more than 35 °C which do not sustain combustion need not be considered as flammable liquids. Refer to Recommendations on the TRANSPORT OF DANGEROUS GOODS,UNITED NATIONS - Seventeenth revised edition (ST/SG/AC.10/1/Rev.17) CHAPTER 2.3 CLASS 3 - FLAMMABLE LIQUIDS (see 2.3.1.2 and 2.3.1.3), IATA Dangerous Goods Regulations Section 3.3.1.3 and IMDG Code Section 2.3.1.3.

SECTION 15: Regulatory information

This product does not contain any hazardous chemical that has been determined by Montreal Protocol (Ozone depleting substances), The Stockholm Convention (Persistent Organic Pollutants), and The Rotterdam Convention (Prior Informed Consent).

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixtureSafework Australia criteria is based on the Globally Harmonised System (GHS) of Classification and Labelling of Chemicals.

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

References

Model Code of Practice	Preparation of Safety Data Sheets for Hazardous Chemicals	
	Labelling of Workplace Hazardous Chemicals	
GHS	Globally Harmonised System of Classification and Labelling of Chemicals	
Safe Work Australia HSIS	http://hsis.safeworkaustralia.gov.au/HazardousSubstance	
WES	Workplace Exposure Standards for Airborne Contaminants (2019)	
ADG Code	Australian Code for the Transport of Dangerous Goods by Road & Rail Edition 7.6, 2018	



EU RoHS EU ELV (Directive 2011/65/EU) (DIRECTIVE 2000/53/EC)



Artline Safety Data Sheet

Xstamper

according to Safe Work Australia document

"Model Code of Practice : Preparation of safety data sheets for hazardous chemicals"

Issued Date: 19 July 2013 Revised Date: 23 September 2020

SECTION 1: Identification; Chemical product and company identification

1.1. Product identifier

Product Name : Xstamper REFILL INKS Colour: (Orange)

> CS-10N (X-200 ink)

CS-20N

CS-60N

Colour







Xstamper Products

Dyestuff type Xstamper

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use : Stamp ink

1.3. Details of the supplier of the safety data sheet

Supplier Company Name : ACCO Brands Australia Pty Ltd

> Address : 2 Coronation Avenue, Kings Park, 2148 NSW, Australia : 02 9674 0900 (9am to 5pm AEST, Monday to Friday) Phone

: sds.anz@acco.com Contact (e-mail)

: www.accobrands.com.au Website

Manufacturer Company Name : Shachihata Inc.

> Address : 4-69, Amazuka-cho, Nishi-ku, Nagoya City, 451-0021, Japan

Phone : +81-52-521-3600 Fax : +81-52-521-3899

Contact (e-mail) chem-analysis@ngy.shachihata.co.jp

1.4. Emergency telephone number

Poisons Information Centre: 13 11 26

SECTION 2: Hazards identification

Hazardous Substance, Non-Dangerous Goods.

Classified as hazardous according to the criteria of Safe Work Australia (SWA - formerly NOHSC), and not classified as Dangerous Goods according to the Australian Dangerous Goods (ADG) Code for Transport by Road and Rail.

2.1. Classification of the substance or mixture

2.1.1. Classification (SWA)

Flammable liquids, Category 3 H226: Flammable liquid and vapour Eye irritation, Category 2A H319: Causes serious eye irritation

2.2. Label elements

Labelling (SWA)

Symbols



Note:

This product does not need to be considered as flammable liquids for Recommendations on the TRANSPORT OF DANGEROUS GOODS, UNITED NATIONS.

Refer to section 9 and 14.

Signal word : Warning

Hazard statement : Flammable liquid and vapour

Causes serious eye irritation

(Prevention)

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Take precautionary measures against static discharge.

Wash hands thoroughly after handling. (P264)

Wear eye protection. (P280)

[Response]

IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. (P337+P313)

(P210)

(P243)

(P305+P351+P338)

(P370+P378)

(P501)

If eye irritation persists: Get medical advice and attention.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. (P303+P361+P353)

In case of fire: Use dry chemical powder, foam or carbon dioxide to extinguish.

(Storage)

Store in a well-ventilated place. Keep container tightly closed.

(P403+P233)

[Disposal]

Dispose of contents and container in accordance with local regulations.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

Ingredients:

Chemical Name / Generic name	Composition weight %	CAS Registry No.	Hazard Class (category)	Hazard statement
Ethyl alcohol	1 ~ 10	64-17-5	Flam. Liq. 2	H225
Derivative of vegetable oil	50 ~ 60	Confidential	none	none
Glycol class solvent	5 ~ 15	Confidential	none	none
2-(2-Butoxyethoxy)ethanol	5 ~ 15	112-34-5	Eye Irrit. 2A	H319
Synthetic resin	5 ~ 15	Confidential	none	none
Dyestuff	5 ~ 15	Confidential	none	none
total	100			

SECTION 4: First-aid measures

4.1. Description of first aid measures

IF INHALED : Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Consult a doctor if symptoms persist.

IF ON SKIN : Remove / Take off immediately all contaminated clothing. Wash with soap and water.

If skin irritation/rash occurs or feel unwell, consult a doctor for medical advice.

IF IN EYES : Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. If eye irritation persists, get medical advice/attention.

IF SWALLOWED: After rinse mouth immediately, give about 250 ml of water or milk and thin in the stomach,

and do not vomit forcibly. Moreover, do not give anything from the mouth to the patient

when not conscious. Receive the doctor's treatment (stomach pump) promptly.

SECTION 5: Firefighting-measures

5.1. Extinguishing media

: Dry chemical powder, foam or carbon dioxide Suitable extinguishing media

Unsuitable extinguishing media : Water jet

5.2. Special hazards arising from the substance or mixture

For initial stage extinction, carbon dioxide or dry chemical powder.

When a fire extends, fire is extinguished by a large amount of water spray.

In the extinction work, an appropriate protective equipment (gloves, glasses, and mask) has to be worn.

Because during a fire, hazardous gases may be generated, fire-fighters have to wear self-contained breathing apparatus and other protective equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Evacuate personnel to safe area. Shut off all sources of ignition.

No Flares, smoking or flame in area. Put on protective equipment. Ensure adequate ventilation.

6.2. Environmental precautions

Do not throw the leakage thing directly into environment

6.3. Methods and material for containment and cleaning up

In case of a small spill, remove by absorbing with absorbents (sawdust, soil, sand, waste cloth, etc.),

and then wipe off the waste well with waste cloth, and rag.

In case of large spills, prevent leakage by enclosing with nonflammables (earth and sand, etc.)

and collect into empty container by scoop, suction equipment or the like.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling : Use with adequate ventilation.

Avoid contact with skin, eyes and clothing. Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage : Keep containers tightly closed and store in a cool and dry place.

areas and containers Keep away from heat and flame, ignition source and sunlight.

Keep out of the reach of children.

SECTION 8: Exposure controls and personal protection

8.1. Control parameters

Australian exposure standards (2019)

Ethyl alcohol TWA 1,000 ppm

EH40/2005 Workplace exposure limits (Fourth Edition, published 2020)

Ethyl alcohol TWA 1,000 ppm 2-(2-Butoxyethoxy)ethanol TWA 10 ppm

ACGIH (2020)

Ethyl alcohol STEL 1,000 ppm 2-(2-Butoxyethoxy)ethanol TWA 10 ppm

8.2. Exposure controls

Personal protective equipment

Respiratory Protection : Use with local exhaust ventilation, when in long use.

Avoid breathing vapours. Wear mask to prevent organic gas, if necessary.

Hand Protection : Avoid contact with hands. Wear safety gloves, if necessary. Eye Protection : Avoid contact with eyes. Wear safety glasses, if necessary.

Skin Protection : Avoid skin contact. Wear personal protection apron, boots, if necessary.

Environmental exposure controls

General advice : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform respective authorities.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : Orange liquid

Odour : None

pH : Not applicable

Boiling point : 78 ~ 225 °C

Flash point : 36.5 °C (closed cup)

ed cup) Not sustained combustibility; Refer to section14

Relative Density (at 25°C) : 1.0 (g/cm³)

Solubility in Water : Insoluble

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reaction known under conditions of normal use.

10.2. Chemical stability

Thermally stable at typical use temperatures.

10.3. Possibility of hazardous reactions

No data available

10.4. Conditions to Avoid

High temperature, Direct sunlight, Fire

10.5. Incompatible Materials

No data available

10.6. Hazardous decomposition products

CO, CO₂

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : LD/LC50 values that are relevant for classification

[Ethyl alcohol]

Oral-rat LD50 >5,000 mg/kg Inhalation-rat LC50 >20 mg/L/4h

[Glycol class solvent]

Oral-rat LD50 >5,000 mg/kg Dermal-rabbit LD50 >5,000 mg/kg

[2-(2-Butoxyethoxy)ethanol]

Oral-rat LD50 >2,000 - <=5,000 mg/kg
Dermal-rabbit LD50 >2,000 - <=5,000 mg/kg

Eye irritation : Category 2A Causes serious eye irritation

Carcinogenicity : This product does not contain any component that is considered

a human carcinogen by IARC, ACGIH, EPA, EU or NTP.

SECTION 12: Ecological information

12.1. Toxicity: No data available12.2. Persistence and degradability: No data available12.3. Bioaccumulative potential: No data available12.4. Mobility in soil: No data available12.5. Results of PBT and vPvB assessment: No data available12.6. Other adverse effects: No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal must be made according to official regulations.

Comply with all Federal, State, and Local regulations regarding disposal.

Determination of whether a Dangerous Good based on ADG Code criteria.

UN Numbers listed as "UN" followed by 4 digits.

Dangerous Good Classes and Labels for all Dangerous Goods.

Special Provisions listed.

Road - ADG - Australian Dangerous Goods Code (Road and Rail)

Air – IATA – International Air Transport Association

Sea - IMDG - International Maritime Dangerous Goods

14.1. UN number	ADG, IMDG, IATA	: None
14.2. UN proper shipping name	ADG, IMDG, IATA	: None
14.3. Transport hazard class(es)	ADG, IMDG, IATA	: None
14.4. Packing group	ADG, IMDG, IATA	: None
14.5. Environmental hazards	Marine pollutant	: N
14.6. Special precautions for user	EMS Number	: None
14.7. HAZCHEM Code		: None

This product has passed the SUSTAINED COMBUSTIBILITY TEST prescribed in the UN Manual of Tests and Criteria, Part Ⅲ, subsection 32.5.2. Liquids with a flash point of more than 35 °C which do not sustain combustion need not be considered as flammable liquids. Refer to Recommendations on the TRANSPORT OF DANGEROUS GOODS,UNITED NATIONS - Seventeenth revised edition (ST/SG/AC.10/1/Rev.17) CHAPTER 2.3 CLASS 3 - FLAMMABLE LIQUIDS (see 2.3.1.2 and 2.3.1.3), IATA Dangerous Goods Regulations Section 3.3.1.3 and IMDG Code Section 2.3.1.3.

SECTION 15: Regulatory information

This product does not contain any hazardous chemical that has been determined by Montreal Protocol (Ozone depleting substances), The Stockholm Convention (Persistent Organic Pollutants), and The Rotterdam Convention (Prior Informed Consent).

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixtureSafework Australia criteria is based on the Globally Harmonised System (GHS) of Classification and Labelling of Chemicals.

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

References

Model Code of Practice	Preparation of Safety Data Sheets for Hazardous Chemicals
	Labelling of Workplace Hazardous Chemicals
GHS	Globally Harmonised System of Classification and Labelling of Chemicals
Safe Work Australia HSIS	http://hsis.safeworkaustralia.gov.au/HazardousSubstance
WES	Workplace Exposure Standards for Airborne Contaminants (2019)
ADG Code	Australian Code for the Transport of Dangerous Goods by Road & Rail Edition 7.6, 2018



EU RoHS (Directive 2011/65/EU)
EU ELV (DIRECTIVE 2000/53/EC)



Safety Data Sheet

Artline

Xstamper

according to Safe Work Australia document

"Model Code of Practice : Preparation of safety data sheets for hazardous chemicals"

Issued Date: 19 July 2013 Revised Date: 23 September 2020

SECTION 1: Identification; Chemical product and company identification

1.1. Product identifier

Product Name : Xstamper REFILL INKS Colour: (Pink)

> CS-10N (X-200 ink)

CS-20N

CS-60N

Colour







Xstamper Products

Dyestuff type Xstamper

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use : Stamp ink

1.3. Details of the supplier of the safety data sheet

Supplier Company Name : ACCO Brands Australia Pty Ltd

> Address : 2 Coronation Avenue, Kings Park, 2148 NSW, Australia : 02 9674 0900 (9am to 5pm AEST, Monday to Friday) Phone

: sds.anz@acco.com Contact (e-mail)

: www.accobrands.com.au Website

Manufacturer Company Name : Shachihata Inc.

> Address : 4-69, Amazuka-cho, Nishi-ku, Nagoya City, 451-0021, Japan

Phone : +81-52-521-3600 Fax : +81-52-521-3899

Contact (e-mail) chem-analysis@ngy.shachihata.co.jp

1.4. Emergency telephone number

Poisons Information Centre: 13 11 26

SECTION 2: Hazards identification

Hazardous Substance, Non-Dangerous Goods.

Classified as hazardous according to the criteria of Safe Work Australia (SWA - formerly NOHSC), and not classified as Dangerous Goods according to the Australian Dangerous Goods (ADG) Code for Transport by Road and Rail.

2.1. Classification of the substance or mixture

2.1.1. Classification (SWA)

Flammable liquids, Category 3 H226: Flammable liquid and vapour Eye irritation, Category 2A H319: Causes serious eye irritation

2.2. Label elements

Labelling (SWA)

Symbols



Note:

This product does not need to be considered as flammable liquids for Recommendations on the TRANSPORT OF DANGEROUS GOODS, UNITED NATIONS.

Refer to section 9 and 14.

Signal word : Warning

Hazard statement : Flammable liquid and vapour

Causes serious eye irritation

(Prevention)

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Take precautionary measures against static discharge.

Wash hands thoroughly after handling. (P264)

Wear eye protection. (P280)

[Response]

IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

(P210)

(P243)

(P305+P351+P338)

(P337+P313)

(P370+P378)

(P403+P233)

(P501)

If eye irritation persists: Get medical advice and attention.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. (P303+P361+P353)

In case of fire: Use dry chemical powder, foam or carbon dioxide to extinguish.

(Storage)

Store in a well-ventilated place. Keep container tightly closed.

[Disposal]

Dispose of contents and container in accordance with local regulations.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

Ingredients:

Chemical Name / Generic name	Composition weight %	CAS Registry No.	Hazard Class (category)	Hazard statement
Ethyl alcohol	1 ~ 10	64-17-5	Flam. Liq. 2	H225
Derivative of vegetable oil	50 ~ 60	Confidential	none	none
Glycol class solvent	5 ~ 15	Confidential	none	none
2-(2-Butoxyethoxy)ethanol	5 ~ 15	112-34-5	Eye Irrit. 2A	H319
Synthetic resin	5 ~ 15	Confidential	none	none
Dyestuff	5 ~ 15	Confidential	none	none
total	100			

SECTION 4: First-aid measures

4.1. Description of first aid measures

IF INHALED : Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Consult a doctor if symptoms persist.

IF ON SKIN : Remove / Take off immediately all contaminated clothing. Wash with soap and water.

If skin irritation/rash occurs or feel unwell, consult a doctor for medical advice.

IF IN EYES : Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. If eye irritation persists, get medical advice/attention.

IF SWALLOWED: After rinse mouth immediately, give about 250 ml of water or milk and thin in the stomach,

and do not vomit forcibly. Moreover, do not give anything from the mouth to the patient

when not conscious. Receive the doctor's treatment (stomach pump) promptly.

SECTION 5: Firefighting-measures

5.1. Extinguishing media

: Dry chemical powder, foam or carbon dioxide Suitable extinguishing media

Unsuitable extinguishing media : Water jet

5.2. Special hazards arising from the substance or mixture

For initial stage extinction, carbon dioxide or dry chemical powder.

When a fire extends, fire is extinguished by a large amount of water spray.

In the extinction work, an appropriate protective equipment (gloves, glasses, and mask) has to be worn.

Because during a fire, hazardous gases may be generated, fire-fighters have to wear self-contained breathing apparatus and other protective equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Evacuate personnel to safe area. Shut off all sources of ignition.

No Flares, smoking or flame in area. Put on protective equipment. Ensure adequate ventilation.

6.2. Environmental precautions

Do not throw the leakage thing directly into environment

6.3. Methods and material for containment and cleaning up

In case of a small spill, remove by absorbing with absorbents (sawdust, soil, sand, waste cloth, etc.),

and then wipe off the waste well with waste cloth, and rag.

In case of large spills, prevent leakage by enclosing with nonflammables (earth and sand, etc.)

and collect into empty container by scoop, suction equipment or the like.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling : Use with adequate ventilation.

Avoid contact with skin, eyes and clothing. Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage : Keep containers tightly closed and store in a cool and dry place.

areas and containers Keep away from heat and flame, ignition source and sunlight.

Keep out of the reach of children.

SECTION 8: Exposure controls and personal protection

8.1. Control parameters

Australian exposure standards (2019)

Ethyl alcohol TWA 1,000 ppm

EH40/2005 Workplace exposure limits (Fourth Edition, published 2020)

Ethyl alcohol TWA 1,000 ppm 2-(2-Butoxyethoxy)ethanol TWA 10 ppm

ACGIH (2020)

Ethyl alcohol STEL 1,000 ppm 2-(2-Butoxyethoxy)ethanol TWA 10 ppm

8.2. Exposure controls

Personal protective equipment

Respiratory Protection : Use with local exhaust ventilation, when in long use.

Avoid breathing vapours. Wear mask to prevent organic gas, if necessary.

Hand Protection : Avoid contact with hands. Wear safety gloves, if necessary. Eye Protection : Avoid contact with eyes. Wear safety glasses, if necessary.

Skin Protection : Avoid skin contact. Wear personal protection apron, boots, if necessary.

Environmental exposure controls

General advice : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform respective authorities.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : Pink liquid

Odour : None

pH : Not applicable

Boiling point : $78 \sim 225 \, ^{\circ}\text{C}$

Flash point : 36.5 °C (closed cup)

Relative Density (at 25°C) : 1.0 (g/cm³)

Solubility in Water : Insoluble

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reaction known under conditions of normal use.

10.2. Chemical stability

Thermally stable at typical use temperatures.

10.3. Possibility of hazardous reactions

No data available

10.4. Conditions to Avoid

High temperature, Direct sunlight, Fire

10.5. Incompatible Materials

No data available

10.6. Hazardous decomposition products

CO, CO₂

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : LD/LC50 values that are relevant for classification

[Ethyl alcohol]

Oral-rat LD50 >5,000 mg/kg Inhalation-rat LC50 >20 mg/L/4h

[Glycol class solvent]

Oral-rat LD50 >5,000 mg/kg
Dermal-rabbit LD50 >5,000 mg/kg

[2-(2-Butoxyethoxy)ethanol]

Oral-rat LD50 >2,000 - <=5,000 mg/kg
Dermal-rabbit LD50 >2,000 - <=5,000 mg/kg

Not sustained combustibility; Refer to section14

Eye irritation : Category 2A Causes serious eye irritation

Carcinogenicity : This product does not contain any component that is considered

a human carcinogen by IARC, ACGIH, EPA, EU or NTP.

SECTION 12: Ecological information

12.1. Toxicity: No data available12.2. Persistence and degradability: No data available12.3. Bioaccumulative potential: No data available12.4. Mobility in soil: No data available12.5. Results of PBT and vPvB assessment: No data available12.6. Other adverse effects: No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal must be made according to official regulations.

Comply with all Federal, State, and Local regulations regarding disposal.

Determination of whether a Dangerous Good based on ADG Code criteria.

UN Numbers listed as "UN" followed by 4 digits.

Dangerous Good Classes and Labels for all Dangerous Goods.

Special Provisions listed.

Road - ADG - Australian Dangerous Goods Code (Road and Rail)

Air – IATA – International Air Transport Association

Sea - IMDG - International Maritime Dangerous Goods

14.1. UN number	ADG, IMDG, IATA	: None
14.2. UN proper shipping name	ADG, IMDG, IATA	: None
14.3. Transport hazard class(es)	ADG, IMDG, IATA	: None
14.4. Packing group	ADG, IMDG, IATA	: None
14.5. Environmental hazards	Marine pollutant	: N
14.6. Special precautions for user	EMS Number	: None
14.7. HAZCHEM Code		: None

This product has passed the SUSTAINED COMBUSTIBILITY TEST prescribed in the UN Manual of Tests and Criteria, Part Ⅲ, subsection 32.5.2. Liquids with a flash point of more than 35 °C which do not sustain combustion need not be considered as flammable liquids. Refer to Recommendations on the TRANSPORT OF DANGEROUS GOODS,UNITED NATIONS - Seventeenth revised edition (ST/SG/AC.10/1/Rev.17) CHAPTER 2.3 CLASS 3 - FLAMMABLE LIQUIDS (see 2.3.1.2 and 2.3.1.3), IATA Dangerous Goods Regulations Section 3.3.1.3 and IMDG Code Section 2.3.1.3.

SECTION 15: Regulatory information

This product does not contain any hazardous chemical that has been determined by Montreal Protocol (Ozone depleting substances), The Stockholm Convention (Persistent Organic Pollutants), and The Rotterdam Convention (Prior Informed Consent).

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixtureSafework Australia criteria is based on the Globally Harmonised System (GHS) of Classification and Labelling of Chemicals.

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

References

Model Code of Practice	Preparation of Safety Data Sheets for Hazardous Chemicals	
	Labelling of Workplace Hazardous Chemicals	
GHS	Globally Harmonised System of Classification and Labelling of Chemicals	
Safe Work Australia HSIS	http://hsis.safeworkaustralia.gov.au/HazardousSubstance	
WES	Workplace Exposure Standards for Airborne Contaminants (2019)	
ADG Code	Australian Code for the Transport of Dangerous Goods by Road & Rail Edition 7.6, 2018	



EU RoHS EU ELV (Directive 2011/65/EU) (DIRECTIVE 2000/53/EC)



Safety Data Sheet

Xstamper

Artline

according to Safe Work Australia document

"Model Code of Practice : Preparation of safety data sheets for hazardous chemicals"

Issued Date: 19 July 2013 Revised Date: 23 September 2020

SECTION 1: Identification; Chemical product and company identification

1.1. Product identifier

Product Name : Xstamper REFILL INKS Colour : (Purple)

CS-10N (X-200 ink)

CS-20N

CS-60N









Xstamper Products

Dyestuff type Xstamper

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use : Stamp ink

1.3. Details of the supplier of the safety data sheet

Supplier Company Name : ACCO Brands Australia Pty Ltd

Address : 2 Coronation Avenue, Kings Park, 2148 NSW, Australia Phone : 02 9674 0900 (9am to 5pm AEST, Monday to Friday)

Contact (e-mail) : sds.anz@acco.com

Website : www.accobrands.com.au

Manufacturer Company Name : Shachihata Inc.

Address : 4-69, Amazuka-cho, Nishi-ku, Nagoya City, 451-0021, Japan

Phone : +81-52-521-3600 Fax : +81-52-521-3899

Contact (e-mail) : chem-analysis@ngy.shachihata.co.jp

1.4. Emergency telephone number

Poisons Information Centre: 13 11 26

Xstomper

SECTION 2: Hazards identification

Hazardous Substance, Non-Dangerous Goods.

Classified as hazardous according to the criteria of Safe Work Australia (SWA - formerly NOHSC), and not classified as Dangerous Goods according to the Australian Dangerous Goods (ADG) Code for Transport by Road and Rail.

2.1. Classification of the substance or mixture

2.1.1. Classification (SWA)

Flammable liquids, Category 3 H226 : Flammable liquid and vapour Eye irritation, Category 2A H319 : Causes serious eye irritation

2.2. Label elements

Labelling (SWA)

Symbols



Note:

This product does not need to be considered as flammable liquids for Recommendations on the TRANSPORT OF DANGEROUS GOODS, UNITED NATIONS.

Refer to section 9 and 14.

Signal word : Warning

Hazard statement : Flammable liquid and vapour

Causes serious eye irritation

[Prevention]

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Take precautionary measures against static discharge.

Wash hands thoroughly after handling.

Wear eye protection. (P280)

[Response]

IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

(P210)

(P243)

(P264)

(P305+P351+P338)

(P337+P313)

(P370+P378)

(P403+P233)

(P501)

If eye irritation persists. Get medical advice and attention.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

In case of fire: Use dry chemical powder, foam or carbon dioxide to extinguish.

[Storage]

Store in a well-ventilated place. Keep container tightly closed.

[Disposal]

Dispose of contents and container in accordance with local regulations.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

Ingredients:

Chemical Name / Generic name	Composition weight %	CAS Registry No.	Hazard Class (category)	Hazard statement
Ethyl alcohol	1 ~ 10	64-17-5	Flam. Liq. 2	H225
Derivative of vegetable oil	50 ~ 60	Confidential	none	none
Glycol class solvent	5 ~ 15	Confidential	none	none
2-(2-Butoxyethoxy)ethanol	5 ~ 15	112-34-5	Eye Irrit. 2A	H319
Synthetic resin	5 ~ 15	Confidential	none	none
Dyestuff	5 ~ 15	Confidential	none	none
total	100			

SECTION 4: First-aid measures

4.1. Description of first aid measures

IF INHALED : Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Consult a doctor if symptoms persist.

IF ON SKIN : Remove / Take off immediately all contaminated clothing. Wash with soap and water.

If skin irritation/rash occurs or feel unwell, consult a doctor for medical advice.

IF IN EYES : Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. If eye irritation persists, get medical advice/attention.

IF SWALLOWED : After rinse mouth immediately, give about 250 ml of water or milk and thin in the stomach,

and do not vomit forcibly. Moreover, do not give anything from the mouth to the patient

when not conscious. Receive the doctor's treatment (stomach pump) promptly.

SECTION 5: Firefighting-measures

5.1. Extinguishing media

Suitable extinguishing media : Dry chemical powder, foam or carbon dioxide

Unsuitable extinguishing media : Water jet

5.2. Special hazards arising from the substance or mixture

For initial stage extinction, carbon dioxide or dry chemical powder.

When a fire extends, fire is extinguished by a large amount of water spray.

In the extinction work, an appropriate protective equipment (gloves, glasses, and mask) has to be worn.

Because during a fire, hazardous gases may be generated, fire-fighters have to wear self-contained breathing apparatus and other protective equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Evacuate personnel to safe area. Shut off all sources of ignition.

No Flares, smoking or flame in area. Put on protective equipment. Ensure adequate ventilation.

6.2. Environmental precautions

Do not throw the leakage thing directly into environment

6.3. Methods and material for containment and cleaning up

In case of a small spill, remove by absorbing with absorbents (sawdust, soil, sand, waste cloth, etc.),

and then wipe off the waste well with waste cloth, and rag.

In case of large spills, prevent leakage by enclosing with nonflammables (earth and sand, etc.)

and collect into empty container by scoop, suction equipment or the like.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling : Use with adequate ventilation.

Avoid contact with skin, eyes and clothing. Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage : Keep containers tightly closed and store in a cool and dry place.

areas and containers Keep away from heat and flame, ignition source and sunlight.

Keep out of the reach of children.

SECTION 8: Exposure controls and personal protection

8.1. Control parameters

Australian exposure standards (2019)

Ethyl alcohol TWA 1,000 ppm

EH40/2005 Workplace exposure limits (Fourth Edition, published 2020)

Ethyl alcohol TWA 1,000 ppm 2-(2-Butoxyethoxy)ethanol TWA 10 ppm

ACGIH (2020)

Ethyl alcohol STEL 1,000 ppm 2-(2-Butoxyethoxy)ethanol TWA 10 ppm

8.2. Exposure controls

Personal protective equipment

Respiratory Protection : Use with local exhaust ventilation, when in long use.

Avoid breathing vapours. Wear mask to prevent organic gas, if necessary.

Hand Protection : Avoid contact with hands. Wear safety gloves, if necessary. Eye Protection : Avoid contact with eyes. Wear safety glasses, if necessary.

Skin Protection : Avoid skin contact. Wear personal protection apron, boots, if necessary.

Environmental exposure controls

General advice : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform respective authorities.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : Purple liquid

Odour : None

pH : Not applicable

Boiling point : 78 ~ 225 °C

Flash point : 37.0 °C (closed cup)

Relative Density (at 25°C) : 1.0 (g/cm³)

Solubility in Water : Insoluble

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reaction known under conditions of normal use.

10.2. Chemical stability

Thermally stable at typical use temperatures.

10.3. Possibility of hazardous reactions

No data available

10.4. Conditions to Avoid

High temperature, Direct sunlight, Fire

10.5. Incompatible Materials

No data available

10.6. Hazardous decomposition products

CO, CO₂

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : LD/LC50 values that are relevant for classification

[Ethyl alcohol]

Oral-rat LD50 >5,000 mg/kg Inhalation-rat LC50 >20 mg/L/4h

[Glycol class solvent]

Oral-rat LD50 >5,000 mg/kg Dermal-rabbit LD50 >5,000 mg/kg

[2-(2-Butoxyethoxy)ethanol]

Oral-rat LD50 >2,000 - <=5,000 mg/kg
Dermal-rabbit LD50 >2,000 - <=5,000 mg/kg

Not sustained combustibility; Refer to section14

Eye irritation : Category 2A Causes serious eye irritation

Carcinogenicity : This product does not contain any component that is considered

a human carcinogen by IARC, ACGIH, EPA, EU or NTP.

SECTION 12: Ecological information

12.1. Toxicity: No data available12.2. Persistence and degradability: No data available12.3. Bioaccumulative potential: No data available12.4. Mobility in soil: No data available12.5. Results of PBT and vPvB assessment: No data available12.6. Other adverse effects: No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal must be made according to official regulations.

Comply with all Federal, State, and Local regulations regarding disposal.

Determination of whether a Dangerous Good based on ADG Code criteria.

UN Numbers listed as "UN" followed by 4 digits.

Dangerous Good Classes and Labels for all Dangerous Goods.

Special Provisions listed.

Road - ADG - Australian Dangerous Goods Code (Road and Rail)

Air – IATA – International Air Transport Association

Sea - IMDG - International Maritime Dangerous Goods

14.1. UN number	ADG, IMDG, IATA	: None
14.2. UN proper shipping name	ADG, IMDG, IATA	: None
14.3. Transport hazard class(es)	ADG, IMDG, IATA	: None
14.4. Packing group	ADG, IMDG, IATA	: None
14.5. Environmental hazards	Marine pollutant	: N
14.6. Special precautions for user	EMS Number	: None
14.7. HAZCHEM Code		: None

This product has passed the SUSTAINED COMBUSTIBILITY TEST prescribed in the UN Manual of Tests and Criteria, Part Ⅲ, subsection 32.5.2. Liquids with a flash point of more than 35 °C which do not sustain combustion need not be considered as flammable liquids. Refer to Recommendations on the TRANSPORT OF DANGEROUS GOODS,UNITED NATIONS - Seventeenth revised edition (ST/SG/AC.10/1/Rev.17) CHAPTER 2.3 CLASS 3 - FLAMMABLE LIQUIDS (see 2.3.1.2 and 2.3.1.3), IATA Dangerous Goods Regulations Section 3.3.1.3 and IMDG Code Section 2.3.1.3.

SECTION 15: Regulatory information

This product does not contain any hazardous chemical that has been determined by Montreal Protocol (Ozone depleting substances), The Stockholm Convention (Persistent Organic Pollutants), and The Rotterdam Convention (Prior Informed Consent).

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixtureSafework Australia criteria is based on the Globally Harmonised System (GHS) of Classification and Labelling of Chemicals.

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

References

Model Code of Practice	Preparation of Safety Data Sheets for Hazardous Chemicals
	Labelling of Workplace Hazardous Chemicals
GHS	Globally Harmonised System of Classification and Labelling of Chemicals
Safe Work Australia HSIS	http://hsis.safeworkaustralia.gov.au/HazardousSubstance
WES	Workplace Exposure Standards for Airborne Contaminants (2019)
ADG Code	Australian Code for the Transport of Dangerous Goods by Road & Rail Edition 7.6, 2018



EU RoHS EU ELV (Directive 2011/65/EU) (DIRECTIVE 2000/53/EC)



Safety Data Sheet

Xstamper

Artline

according to Safe Work Australia document

"Model Code of Practice : Preparation of safety data sheets for hazardous chemicals"

Issued Date: 19 July 2013 Revised Date: 23 September 2020

SECTION 1: Identification; Chemical product and company identification

1.1. Product identifier

Product Name : Xstamper REFILL INKS Colour: (Red)

> CS-10N (X-200 ink)

CS-20N

CS-60N

Colour







Xstamper Products

Dyestuff type Xstamper

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use : Stamp ink

1.3. Details of the supplier of the safety data sheet

Supplier Company Name : ACCO Brands Australia Pty Ltd

> Address : 2 Coronation Avenue, Kings Park, 2148 NSW, Australia : 02 9674 0900 (9am to 5pm AEST, Monday to Friday) Phone

: sds.anz@acco.com Contact (e-mail)

: www.accobrands.com.au Website

Manufacturer Company Name : Shachihata Inc.

> Address : 4-69, Amazuka-cho, Nishi-ku, Nagoya City, 451-0021, Japan

Phone : +81-52-521-3600 Fax : +81-52-521-3899

Contact (e-mail) chem-analysis@ngy.shachihata.co.jp

1.4. Emergency telephone number

Poisons Information Centre: 13 11 26

SECTION 2: Hazards identification

Hazardous Substance, Non-Dangerous Goods.

Classified as hazardous according to the criteria of Safe Work Australia (SWA - formerly NOHSC), and not classified as Dangerous Goods according to the Australian Dangerous Goods (ADG) Code for Transport by Road and Rail.

2.1. Classification of the substance or mixture

2.1.1. Classification (SWA)

Flammable liquids, Category 3 H226: Flammable liquid and vapour Eye irritation, Category 2A H319: Causes serious eye irritation

2.2. Label elements

Labelling (SWA)

Symbols



Note:

This product does not need to be considered as flammable liquids for Recommendations on the TRANSPORT OF DANGEROUS GOODS, UNITED NATIONS.

Refer to section 9 and 14.

Signal word : Warning

Hazard statement : Flammable liquid and vapour

Causes serious eye irritation

(Prevention)

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Take precautionary measures against static discharge.

Wash hands thoroughly after handling.

Wear eye protection. (P280)

[Response]

IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

(P210)

(P243)

(P264)

(P305+P351+P338)

(P337+P313)

(P370+P378)

(P501)

If eye irritation persists: Get medical advice and attention.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. (P303+P361+P353)

In case of fire: Use dry chemical powder, foam or carbon dioxide to extinguish.

(Storage)

Store in a well-ventilated place. Keep container tightly closed.

(P403+P233)

[Disposal]

Dispose of contents and container in accordance with local regulations.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

Ingredients:

Chemical Name / Generic name	Composition	CAS	Hazard Class	Hazard statement
Generic name	weight %	Registry No.	(category)	
Ethyl alcohol	1 ~ 10	64-17-5	Flam. Liq. 2	H225
Derivative of vegetable oil	45 ~ 55	Confidential	none	none
Glycol class solvent	5 ~ 15	Confidential	none	none
2-(2-Butoxyethoxy)ethanol	5 ~ 15	112-34-5	Eye Irrit. 2A	H319
Synthetic resin	5 ~ 15	Confidential	none	none
Dyestuff	10 ~ 20	Confidential	none	none
total	100			

SECTION 4: First-aid measures

4.1. Description of first aid measures

IF INHALED : Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Consult a doctor if symptoms persist.

IF ON SKIN : Remove / Take off immediately all contaminated clothing. Wash with soap and water.

If skin irritation/rash occurs or feel unwell, consult a doctor for medical advice.

IF IN EYES : Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. If eye irritation persists, get medical advice/attention.

IF SWALLOWED: After rinse mouth immediately, give about 250 ml of water or milk and thin in the stomach,

and do not vomit forcibly. Moreover, do not give anything from the mouth to the patient

when not conscious. Receive the doctor's treatment (stomach pump) promptly.

SECTION 5: Firefighting-measures

5.1. Extinguishing media

: Dry chemical powder, foam or carbon dioxide Suitable extinguishing media

Unsuitable extinguishing media : Water jet

5.2. Special hazards arising from the substance or mixture

For initial stage extinction, carbon dioxide or dry chemical powder.

When a fire extends, fire is extinguished by a large amount of water spray.

In the extinction work, an appropriate protective equipment (gloves, glasses, and mask) has to be worn.

Because during a fire, hazardous gases may be generated, fire-fighters have to wear self-contained breathing apparatus and other protective equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Evacuate personnel to safe area. Shut off all sources of ignition.

No Flares, smoking or flame in area. Put on protective equipment. Ensure adequate ventilation.

6.2. Environmental precautions

Do not throw the leakage thing directly into environment

6.3. Methods and material for containment and cleaning up

In case of a small spill, remove by absorbing with absorbents (sawdust, soil, sand, waste cloth, etc.),

and then wipe off the waste well with waste cloth, and rag.

In case of large spills, prevent leakage by enclosing with nonflammables (earth and sand, etc.)

and collect into empty container by scoop, suction equipment or the like.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling : Use with adequate ventilation.

Avoid contact with skin, eyes and clothing. Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage : Keep containers tightly closed and store in a cool and dry place.

areas and containers Keep away from heat and flame, ignition source and sunlight.

Keep out of the reach of children.

SECTION 8: Exposure controls and personal protection

8.1. Control parameters

Australian exposure standards (2019)

Ethyl alcohol TWA 1,000 ppm

EH40/2005 Workplace exposure limits (Fourth Edition, published 2020)

Ethyl alcohol TWA 1,000 ppm 2-(2-Butoxyethoxy)ethanol TWA 10 ppm

ACGIH (2020)

Ethyl alcohol STEL 1,000 ppm 2-(2-Butoxyethoxy)ethanol TWA 10 ppm

8.2. Exposure controls

Personal protective equipment

Respiratory Protection : Use with local exhaust ventilation, when in long use.

Avoid breathing vapours. Wear mask to prevent organic gas, if necessary.

Hand Protection : Avoid contact with hands. Wear safety gloves, if necessary. Eye Protection : Avoid contact with eyes. Wear safety glasses, if necessary.

Skin Protection : Avoid skin contact. Wear personal protection apron, boots, if necessary.

Environmental exposure controls

General advice : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform respective authorities.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : Red liquid

Odour : None

pH : Not applicable

Boiling point : 78 ~ 225 °C

Flash point : 36.5 °C (closed cup)

CUD) Not sustained combustibility; Refer to section14

Relative Density (at 25°C) : 1.0 (g/cm³)

Solubility in Water : Insoluble

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reaction known under conditions of normal use.

10.2. Chemical stability

Thermally stable at typical use temperatures.

10.3. Possibility of hazardous reactions

No data available

10.4. Conditions to Avoid

High temperature, Direct sunlight, Fire

10.5. Incompatible Materials

No data available

10.6. Hazardous decomposition products

CO, CO₂

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : LD/LC50 values that are relevant for classification

[Ethyl alcohol]

Oral-rat LD50 >5,000 mg/kg Inhalation-rat LC50 >20 mg/L/4h

[Glycol class solvent]

Oral-rat LD50 >5,000 mg/kg Dermal-rabbit LD50 >5,000 mg/kg

[2-(2-Butoxyethoxy)ethanol]

Oral-rat LD50 >2,000 - <=5,000 mg/kg
Dermal-rabbit LD50 >2,000 - <=5,000 mg/kg

Eye irritation : Category 2A Causes serious eye irritation

Carcinogenicity: This product does not contain any component that is considered

a human carcinogen by IARC, ACGIH, EPA, EU or NTP.

SECTION 12: Ecological information

12.1. Toxicity: No data available12.2. Persistence and degradability: No data available12.3. Bioaccumulative potential: No data available12.4. Mobility in soil: No data available12.5. Results of PBT and vPvB assessment: No data available12.6. Other adverse effects: No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal must be made according to official regulations.

Comply with all Federal, State, and Local regulations regarding disposal.

Determination of whether a Dangerous Good based on ADG Code criteria.

UN Numbers listed as "UN" followed by 4 digits.

Dangerous Good Classes and Labels for all Dangerous Goods.

Special Provisions listed.

Road - ADG - Australian Dangerous Goods Code (Road and Rail)

Air – IATA – International Air Transport Association

Sea - IMDG - International Maritime Dangerous Goods

14.1. UN number	ADG, IMDG, IATA	: None
14.2. UN proper shipping name	ADG, IMDG, IATA	: None
14.3. Transport hazard class(es)	ADG, IMDG, IATA	: None
14.4. Packing group	ADG, IMDG, IATA	: None
14.5. Environmental hazards	Marine pollutant	: N
14.6. Special precautions for user	EMS Number	: None
14.7. HAZCHEM Code		: None

This product has passed the SUSTAINED COMBUSTIBILITY TEST prescribed in the UN Manual of Tests and Criteria, Part Ⅲ, subsection 32.5.2. Liquids with a flash point of more than 35 °C which do not sustain combustion need not be considered as flammable liquids. Refer to Recommendations on the TRANSPORT OF DANGEROUS GOODS,UNITED NATIONS - Seventeenth revised edition (ST/SG/AC.10/1/Rev.17) CHAPTER 2.3 CLASS 3 - FLAMMABLE LIQUIDS (see 2.3.1.2 and 2.3.1.3), IATA Dangerous Goods Regulations Section 3.3.1.3 and IMDG Code Section 2.3.1.3.

SECTION 15: Regulatory information

This product does not contain any hazardous chemical that has been determined by Montreal Protocol (Ozone depleting substances), The Stockholm Convention (Persistent Organic Pollutants), and The Rotterdam Convention (Prior Informed Consent).

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixtureSafework Australia criteria is based on the Globally Harmonised System (GHS) of Classification and Labelling of Chemicals.

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

References

Model Code of Practice	Preparation of Safety Data Sheets for Hazardous Chemicals	
	Labelling of Workplace Hazardous Chemicals	
GHS	Globally Harmonised System of Classification and Labelling of Chemicals	
Safe Work Australia HSIS	http://hsis.safeworkaustralia.gov.au/HazardousSubstance	
WES	Workplace Exposure Standards for Airborne Contaminants (2019)	
ADG Code	Australian Code for the Transport of Dangerous Goods by Road & Rail Edition 7.6, 2018	



EU RoHS EU ELV (Directive 2011/65/EU) (DIRECTIVE 2000/53/EC)



Safety Data Sheet

Artline

Xstamper

according to Safe Work Australia document

"Model Code of Practice : Preparation of safety data sheets for hazardous chemicals"

Issued Date: 19 July 2013 Revised Date: 23 September 2020

SECTION 1: Identification; Chemical product and company identification

1.1. Product identifier

Product Name : Xstamper REFILL INKS Colour: (Yellow)

> CS-10N (Y-30 ink)

CS-20N

CS-60N

Colour







Xstamper Products

Dyestuff type Xstamper

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use : Stamp ink

1.3. Details of the supplier of the safety data sheet

Supplier Company Name : ACCO Brands Australia Pty Ltd

> Address : 2 Coronation Avenue, Kings Park, 2148 NSW, Australia : 02 9674 0900 (9am to 5pm AEST, Monday to Friday) Phone

: sds.anz@acco.com Contact (e-mail)

: www.accobrands.com.au Website

Manufacturer Company Name : Shachihata Inc.

> Address : 4-69, Amazuka-cho, Nishi-ku, Nagoya City, 451-0021, Japan

Phone : +81-52-521-3600 Fax : +81-52-521-3899

Contact (e-mail) chem-analysis@ngy.shachihata.co.jp

1.4. Emergency telephone number

Poisons Information Centre: 13 11 26

SECTION 2: Hazards identification

Hazardous Substance, Non-Dangerous Goods.

Classified as hazardous according to the criteria of Safe Work Australia (SWA - formerly NOHSC), and not classified as Dangerous Goods according to the Australian Dangerous Goods (ADG) Code for Transport by Road and Rail.

2.1. Classification of the substance or mixture

2.1.1. Classification (SWA)

Flammable liquids, Category 3 H226: Flammable liquid and vapour Eye irritation, Category 2A H319: Causes serious eye irritation

2.2. Label elements

Labelling (SWA)

Symbols



Note:

This product does not need to be considered as flammable liquids for Recommendations on the TRANSPORT OF DANGEROUS GOODS, UNITED NATIONS.

Refer to section 9 and 14.

Signal word : Warning

Hazard statement : Flammable liquid and vapour

Causes serious eye irritation

[Prevention]

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Take precautionary measures against static discharge.

Wash hands thoroughly after handling. (P264)

Wear eye protection. (P280)

[Response]

IF IN EYES: Rinse cautiously with water for several minutes.

(P210)

(P243)

Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice and attention.

(P337+P313)

(P305+P351+P338)

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

(P303+P361+P353) (P370+P378)

In case of fire: Use dry chemical powder, foam or carbon dioxide to extinguish.

(Storage)

Store in a well-ventilated place. Keep container tightly closed.

(P403+P233)

[Disposal]

Dispose of contents and container in accordance with local regulations.

(P501)

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

Ingredients:

Chemical Name /	Composition	CAS	Hazard Class	Hazard statement
Generic name	weight %	Registry No.	(category)	
Ethyl alcohol	1 ~ 10	64-17-5	Flam. Liq. 2	H225
Derivative of vegetable oil	50 ~ 60	Confidential	none	none
Glycol class solvent	5 ~ 15	Confidential	none	none
2-(2-Butoxyethoxy)ethanol	5 ~ 15	112-34-5	Eye Irrit. 2A	H319
Synthetic resin	1 ~ 10	Confidential	none	none
Dyestuff	10 ~ 20	Confidential	none	none
total	100			

SECTION 4: First-aid measures

4.1. Description of first aid measures

IF INHALED : Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Consult a doctor if symptoms persist.

IF ON SKIN : Remove / Take off immediately all contaminated clothing. Wash with soap and water.

If skin irritation/rash occurs or feel unwell, consult a doctor for medical advice.

IF IN EYES : Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. If eye irritation persists, get medical advice/attention.

IF SWALLOWED : After rinse mouth immediately, give about 250 ml of water or milk and thin in the stomach,

and do not vomit forcibly. Moreover, do not give anything from the mouth to the patient

when not conscious. Receive the doctor's treatment (stomach pump) promptly.

SECTION 5: Firefighting-measures

5.1. Extinguishing media

Suitable extinguishing media : Dry chemical powder, foam or carbon dioxide

Unsuitable extinguishing media : Water jet

5.2. Special hazards arising from the substance or mixture

For initial stage extinction, carbon dioxide or dry chemical powder.

When a fire extends, fire is extinguished by a large amount of water spray.

In the extinction work, an appropriate protective equipment (gloves, glasses, and mask) has to be worn.

Because during a fire, hazardous gases may be generated, fire-fighters have to wear self-contained breathing apparatus and other protective equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Evacuate personnel to safe area. Shut off all sources of ignition.

No Flares, smoking or flame in area. Put on protective equipment. Ensure adequate ventilation.

6.2. Environmental precautions

Do not throw the leakage thing directly into environment

6.3. Methods and material for containment and cleaning up

In case of a small spill, remove by absorbing with absorbents (sawdust, soil, sand, waste cloth, etc.),

and then wipe off the waste well with waste cloth, and rag.

In case of large spills, prevent leakage by enclosing with nonflammables (earth and sand, etc.)

and collect into empty container by scoop, suction equipment or the like.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling : Use with adequate ventilation.

Avoid contact with skin, eyes and clothing. Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage : Keep containers tightly closed and store in a cool and dry place.

areas and containers Keep away from heat and flame, ignition source and sunlight.

Keep out of the reach of children.

SECTION 8: Exposure controls and personal protection

8.1. Control parameters

Australian exposure standards (2019)

Ethyl alcohol TWA 1,000 ppm

EH40/2005 Workplace exposure limits (Fourth Edition, published 2020)

Ethyl alcohol TWA 1,000 ppm 2-(2-Butoxyethoxy)ethanol TWA 10 ppm

ACGIH (2020)

Ethyl alcohol STEL 1,000 ppm 2-(2-Butoxyethoxy)ethanol TWA 10 ppm

8.2. Exposure controls

Personal protective equipment

Respiratory Protection : Use with local exhaust ventilation, when in long use.

Avoid breathing vapours. Wear mask to prevent organic gas, if necessary.

Hand Protection : Avoid contact with hands. Wear safety gloves, if necessary. Eye Protection : Avoid contact with eyes. Wear safety glasses, if necessary.

Skin Protection : Avoid skin contact. Wear personal protection apron, boots, if necessary.

Environmental exposure controls

General advice : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform respective authorities.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : Yellow liquid

Odour : None

pH : Not applicable

Boiling point : 78 ~ 225 °C

Flash point : 38.5 °C (closed cup)

in Paralty (at 25°C) : 4.0 (/ 3°C)

Not sustained combustibility; Refer to section14

Relative Density (at 25°C) : 1.0 (g/cm³)

Solubility in Water : Insoluble

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reaction known under conditions of normal use.

10.2. Chemical stability

Thermally stable at typical use temperatures.

10.3. Possibility of hazardous reactions

No data available

10.4. Conditions to Avoid

High temperature, Direct sunlight, Fire

10.5. Incompatible Materials

No data available

10.6. Hazardous decomposition products

CO, CO₂

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : LD/LC50 values that are relevant for classification

[Ethyl alcohol]

Oral-rat LD50 >5,000 mg/kg Inhalation-rat LC50 >20 mg/L/4h

[Glycol class solvent]

Oral-rat LD50 >5,000 mg/kg
Dermal-rabbit LD50 >5,000 mg/kg

[2-(2-Butoxyethoxy)ethanol]

Oral-rat LD50 >2,000 - <=5,000 mg/kg
Dermal-rabbit LD50 >2,000 - <=5,000 mg/kg

Eye irritation : Category 2A Causes serious eye irritation

Carcinogenicity : This product does not contain any component that is considered

a human carcinogen by IARC, ACGIH, EPA, EU or NTP.

SECTION 12: Ecological information

12.1. Toxicity: No data available12.2. Persistence and degradability: No data available12.3. Bioaccumulative potential: No data available12.4. Mobility in soil: No data available12.5. Results of PBT and vPvB assessment: No data available12.6. Other adverse effects: No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal must be made according to official regulations.

Comply with all Federal, State, and Local regulations regarding disposal.

Determination of whether a Dangerous Good based on ADG Code criteria.

UN Numbers listed as "UN" followed by 4 digits.

Dangerous Good Classes and Labels for all Dangerous Goods.

Special Provisions listed.

Road - ADG - Australian Dangerous Goods Code (Road and Rail)

Air – IATA – International Air Transport Association

Sea - IMDG - International Maritime Dangerous Goods

14.1. UN number	ADG, IMDG, IATA	: None
14.2. UN proper shipping name	ADG, IMDG, IATA	: None
14.3. Transport hazard class(es)	ADG, IMDG, IATA	: None
14.4. Packing group	ADG, IMDG, IATA	: None
14.5. Environmental hazards	Marine pollutant	: N
14.6. Special precautions for user	EMS Number	: None
14.7. HAZCHEM Code		: None

This product has passed the SUSTAINED COMBUSTIBILITY TEST prescribed in the UN Manual of Tests and Criteria, Part Ⅲ, subsection 32.5.2. Liquids with a flash point of more than 35 °C which do not sustain combustion need not be considered as flammable liquids. Refer to Recommendations on the TRANSPORT OF DANGEROUS GOODS,UNITED NATIONS - Seventeenth revised edition (ST/SG/AC.10/1/Rev.17) CHAPTER 2.3 CLASS 3 - FLAMMABLE LIQUIDS (see 2.3.1.2 and 2.3.1.3), IATA Dangerous Goods Regulations Section 3.3.1.3 and IMDG Code Section 2.3.1.3.

SECTION 15: Regulatory information

This product does not contain any hazardous chemical that has been determined by Montreal Protocol (Ozone depleting substances), The Stockholm Convention (Persistent Organic Pollutants), and The Rotterdam Convention (Prior Informed Consent).

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixtureSafework Australia criteria is based on the Globally Harmonised System (GHS) of Classification and Labelling of Chemicals.

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

References

Model Code of Practice	Preparation of Safety Data Sheets for Hazardous Chemicals	
	Labelling of Workplace Hazardous Chemicals	
GHS	Globally Harmonised System of Classification and Labelling of Chemicals	
Safe Work Australia HSIS	http://hsis.safeworkaustralia.gov.au/HazardousSubstance	
WES	Workplace Exposure Standards for Airborne Contaminants (2019)	
ADG Code	Australian Code for the Transport of Dangerous Goods by Road & Rail Edition 7.6, 2018	



EU RoHS (E

(Directive 2011/65/EU) (DIRECTIVE 2000/53/EC)